



## Inspection Report

Carson & Barnes Circus  
P. O. Box J  
Hugo, OK 74743

Customer ID: **3954**  
Certificate: **73-C-0001**  
Site: 001  
CARSON & BARNES CIRCUS

Type: ROUTINE INSPECTION  
Date: 08-MAR-2017

### 3.125(a)

#### FACILITIES, GENERAL.

A single llama is housed in an enclosure with an outdoor paddock and an indoor stall. The wall of the barn contains a window with multiple small panes of glass. One of these panes was broken, leaving edges of exposed glass along the perimeter of the window pane. This broken area was at the height of the llama's head, and within easy reach of the animal. This is a potential injury risk to the llama. The broken glass must be removed as soon as possible.

Corrected by facility.

This inspection and exit interview were conducted with facility representative.

Elephants inspected:

Lily, Isa, Obert, Tommy, Viola, Alta, Hugo, Delrita, Rosie, Margaret, Wimpy, Dori, Susie

#### Additional Inspectors

Cunningham Debbie, Veterinary Medical Officer

Prepared By: TYGART MICHAEL, D V M USDA, APHIS, Animal Care

Date:  
09-MAR-2017

Title: SUPERVISORY ANIMAL CARE SPECIALIST 6009

Received by Title: REPORT SENT VIA EMAIL

Date:  
10-MAR-2017



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
3954	73-C-0001	001	CARSON & BARNES CIRCUS	08-MAR-17

Count	Scientific Name	Common Name
000013	<i>Elephas maximus</i>	ASIAN ELEPHANT
000001	<i>Lama glama</i>	LLAMA
<b>000014</b>	<b>Total</b>	