



Inspection Report

INTERVET INC

Merck RY33-750 126 East Lincoln Avenue
Rahway, NJ 07065

Customer ID: **321189**

Certificate: **22-R-0144**

Site: 001

INTERVET INC

Type: ROUTINE INSPECTION

Date: 09-AUG-2023

3.10(a)

Watering

On November 13, 2022, after animal care staff completed husbandry rounds, the hook used to hold the guillotine door open for sheltered dog enclosure F13 became unlatched. When the guillotine door closed, the two dogs inside the enclosure did not have access to the indoor part of the enclosure where the water lixit was located. According to records, the two dogs were reviewed by veterinary staff on November 14, 2022, and provided with water.

Potable water must be continuously available to the dogs, unless restricted by the attending veterinarian.

Corrected before the time of inspection

This inspection and exit interview were conducted with facility representatives.

Prepared By: JESSICA GOWINS

USDA, APHIS, Animal Care

Date:

17-AUG-2023

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Attending Veterinarian

Date:

17-AUG-2023



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
321189	22-R-0144	001	INTERVET INC	09-AUG-2023

Count	Scientific Name	Common Name
000014	<i>Canis familiaris</i>	DOG ADULT
000004	<i>Felis catus</i>	CAT ADULT
000005	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000007	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000030	Total	