



Inspection Report

City Of Overland Park
8500 Sante Fe Dr
Overland Park, KS 66212

Customer ID: **4082**
Certificate: **48-C-0016**
Site: 001
CITY OF OVERLAND PARK

Type: ROUTINE INSPECTION
Date: 10-MAR-2014

3.125(a)

FACILITIES, GENERAL.

The following areas are in need of repair.

- 1) One outdoor wooden shelter housing has an estimated ten inch gap located where the back wall and left side wall join. Five goats are in contact with the affected area located in outdoor housing. The potentially injury exists causing stress or discomfort if any goat gets caught in the affected area.
- 2) The metal galvanized fencing has become detached from the galvanized metal pipe frame on two panels. There is a one to two inch gap between the fencing and metal pipe frame. Seventy five young goats are in contact with the affected panels located in shelter housing. .This affects the ability of the enclosure panel to contain the goats securely and could lead to potential injury.
- 3) Three "4 by 8" sheets of plywood are broken with jagged, sharp edges. Thirty goats are in contacted with the affected plywood sheets located in outdoor housing. Sharp, jagged edges could potential cause injury.
- 4) The wiring fencing has become detached along the bottom causing the fence to turn up creating an estimated two to six inch gap between the ground and bottom of the fence. Twenty four goats are in contact with the affected area located in outdoor housing. The potentially injury exists causing stress or discomfort if any goat gets caught in the affected area.

The licensee must ensure all areas are kept in good repair and protect the animals from injury at all times. Correct by 3/31/14.

3.129(b)

FEEDING.

- * One plastic feed trough used by 24 goats has been destroyed. An estimated 90 percent of the trough is missing

Prepared By: ROBERT BACON, A C I USDA, APHIS, Animal Care

Date:
13-MAR-2014

Title: ANIMAL CARE INSPECTOR 4001

Received by Title: DIRECTOR

Date:
13-MAR-2014



Inspection Report

and is unable to hold any feed being dispensed to the goats. The remaining plastic is chewed and has a roughened, jagged edge. The receptacle used by 24 goats is located in outdoor housing. A chewed, roughened, jagged surface cannot be easily cleaned and sanitized and could potentially cause injury. In addition, it could harbor bacteria and other disease causing agents that can affect the health and wellbeing of the animals. The licensee must ensure that all receptacles can be properly cleaned and sanitized at all times. Correct by 3/31/14.

* The facility inspection done on 3/10/14 and the exit briefing done on 3/13/14 were conducted with the facility director.

Prepared By: ROBERT BACON, A C I USDA, APHIS, Animal Care

Date:
13-MAR-2014

Title: ANIMAL CARE INSPECTOR 4001

Received by Title: DIRECTOR

Date:
13-MAR-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
4082	48-C-0016	001	CITY OF OVERLAND PARK	10-MAR-14

Count	Scientific Name	Common Name
000001	<i>Bison bison</i>	AMERICAN BISON
000002	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000129	<i>Capra hircus</i>	DOMESTIC GOAT
000009	<i>Equus caballus</i>	DOMESTIC HORSE
000002	<i>Lynx rufus</i>	BOBCAT
000005	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000148	Total	