



Inspection Report

Norisa White
29395 U S Hwy 63
Edgar Springs, MO 65462

Customer ID: **6744**
Certificate: **43-A-2711**
Site: 001
NORISA WHITE

Type: ROUTINE INSPECTION
Date: 07-JUL-2015

3.6(a)(2)(10)

PRIMARY ENCLOSURES.

***** The feet and legs of multiple puppies were observed passing through enclosure floor openings. Two puppies are in contact with the affected flooring located in outdoor enclosure of whelping house. Flooring that allows the feet and legs to pass through any openings could lead to possible injury. In addition, the daily activity and mobility of the puppies is affected. The licensee did place four one by one square foot pieces of tenderfoot flooring in the enclosure during the inspection. The licensee must ensure that all flooring does not allow any feet or legs to pass through any openings in the flooring.

Corrected at time of the inspection.

Inspection and exit interview conducted with the licensee by Bill Heine ACI.

Prepared By: WILLIAM HEINE, A C I USDA, APHIS, Animal Care

Date:
08-JUL-2015

Title: ANIMAL CARE INSPECTOR 6058

Received by Title: LICENSEE

Date:
08-JUL-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6744	43-A-2711	001	NORISA WHITE	07-JUL-15

Count	Scientific Name	Common Name
000070	<i>Canis lupus familiaris</i>	DOG ADULT
000024	<i>Canis lupus familiaris</i>	DOG PUPPY
000094	Total	