



## **Inspection Report**

Marlene Aurand Customer ID: 4280

Raymond Aurand Certificate: 48-A-1602

13 N 170th St Site: 001

Salina, KS 67401 RAYMOND & MARLENE AURAND

Type: ROUTINE INSPECTION

Date: 19-OCT-2017

## 3.4(b)(3)

#### **OUTDOOR HOUSING FACILITIES.**

There are four outdoor enclosures without adequate wind and rain break at the entrances to the shelter structures. Failure to provide a barrier from the wind and rain (or other weather conditions) can result in a dog that becomes wet and uncomfortable. In some weather, a dog that does not have a barrier from the elements is unable to maintain a safe body temperature. All dogs must be provided with shelter from the elements which includes wind and rain breaks at the entrance to shelter structures. This was corrected during the inspection.

## 3.4(b)

#### **OUTDOOR HOUSING FACILITIES.**

At the time of inspection, one outdoor enclosure contained six small breed dogs that had access to one shelter structure. This one shelter structure did not provide enough space for all of the dogs to access the shelter. Inadequate shelter structures allow the dogs to be exposed to the elements which can result in discomfort from wet conditions and temperature extremes. The licensee must ensure that outdoor facilities for dogs or cats include one or more shelter structures that are accessible to each animal in each outdoor facility, and that are large enough to allow each animal in the shelter structure to sit, stand, and lie in a normal manner, and to turn about freely. This was corrected during the inspection.

## 3.6(a)(2)(ii)

## PRIMARY ENCLOSURES.

A can of spray paint was located on the floor of one enclosure housing 3 dogs. Chemicals in contact with the dogs could cause injury. A method shall be developed to keep chemicals away from the dogs. This was corrected during the inspection.

#### 3.6(a)(2)(iii)

#### PRIMARY ENCLOSURES.

Dogs were observed squeezing back and forth through openings in the divider fence between two enclosures.

Prepared By: SHAVER MARGARET, D V M USDA, APHIS, Animal Care Date: 19-OCT-2017

Title: VETERINARY MEDICAL OFFICER 6034

Received by Title: LICENSEE Date: 19-OCT-2017



## **Inspection Report**

Dogs could injure themselves squeezing through the holes in the fence, expose them to incompatible dogs, or access enclosures that do not meet their needs. Primary enclosures must be constructed and maintained so dogs are securely contained. This fence was repaired at the time of the inspection.

## 3.6(b)(4)

#### PRIMARY ENCLOSURES.

There are four cat enclosures that do not have an elevated resting surface. The use of elevated resting surfaces satisfies a behavioral preference for many cats. The licensee must ensure that each primary enclosure housing cats must contain a resting surface or surfaces that, in the aggregate, are large enough to hold all the occupants of the primary enclosure at the same time comfortably. The resting surfaces must be elevated, impervious to moisture, and be able to be easily cleaned and sanitized, or easily replaced when soiled or worn. Corrected during the inspection.

### 3.11(a)

#### CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

There was an excessive accumulation of feces in one enclosure. These feces were piled in front of one dog shelter which required the dogs in this enclosure to walk through to access the shelter. Excessive accumulation of feces can increase the disease transmission risk as well as soil the dogs. Feces must be removed from primary enclosures on a daily basis. These feces were removed at the time of the inspection.

This inspection and exit interview were conducted with facility representatives.

## **Additional Inspectors**

Lundy Kendall, Animal Care Inspector

Prepared By: SHAVER MARGARET, D V M USDA, APHIS, Animal Care Date: 19-OCT-2017

Title: VETERINARY MEDICAL OFFICER 6034

Received by Title: LICENSEE Date:

19-OCT-2017



## United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 4280 Inspection Date: 19-OCT-17

# **Species Inspected**

Cust No	Cert No	Site	Site Name	Inspection
4280	48-A-1602	001	RAYMOND & MARLENE AURAND	19-OCT-17

Count	Scientific Name	Common Name
000068	Canis lupus familiaris	DOG ADULT
000028	Canis lupus familiaris	DOG PUPPY
000015	Felis silvestris catus	CAT ADULT
000027	Felis silvestris catus	CAT KITTEN
000138	Total	