



Inspection Report

Heard Natural Science Museum
1 Nature Place
Mckinney, TX 75069

Customer ID: **40164**

Certificate: **74-C-0844**

Site: 001

Heard Natural Science Museum

Type: ROUTINE INSPECTION

Date: 19-JUL-2016

3.131

SANITATION.

The sink in the animal feed room was in disrepair. The construction of the sink allows for water to collect around the edges of the sink on the counter. This has caused the material covering the counter to peel back from the sink. This allows water and other materials to seep into the exposed surfaces and cannot be adequately cleaned and disinfected.

This sink needs to be repaired or replaced so that water cannot collect around the edges and cause damage to the counter.

To be corrected by: Sept 1, 2016

Inspection and exit interview conducted with the licensee.

Prepared By: CYNTHIA DIGESUALDO, D V M USDA, APHIS, Animal Care

Date:
21-JUL-2016

Title: VETERINARY MEDICAL OFFICER 5055

Received by Title: SENT BY EMAIL

Date:
21-JUL-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
40164	74-C-0844	001	Heard Natural Science Museum	19-JUL-16

Count	Scientific Name	Common Name
000001	<i>Cynomys ludovicianus</i>	BLACK-TAILED PRAIRIE DOG
000001	<i>Dolichotis patagonum</i>	PATAGONIAN CAVY / MARA
000001	<i>Erinaceus europaeus</i>	WESTERN EUROPEAN HEDGEHOG
000001	<i>Hydrochaeris hydrochaeris</i>	CAPYBARA
000002	<i>Lemur catta</i>	RING-TAILED LEMUR
000002	<i>Mungos mungo</i>	BANDED MONGOOSE
000001	<i>Muscardinus avellanarius</i>	HAZEL DORMOUSE
000003	<i>Nasua nasua</i>	BROWN-NOSED COATI
000002	<i>Odocoileus virginianus</i>	WHITE-TAILED DEER
000002	<i>Petinomys fuscicapillus</i>	TRAVANCORE FLYING SQUIRREL
000002	<i>Procyon lotor</i>	RACCOON
000001	<i>Urocyon cinereoargenteus</i>	GRAY FOX / GREY FOX
000019	Total	