



Inspection Report

Billy Joe Toney
705 C R 4130
Bonham, TX 75418

Customer ID: 13266

Certificate: 74-A-1192

Site: 001

Billy Joe Toney

Type: ROUTINE INSPECTION

Date: 24-SEP-2014

3.1

HOUSING FACILITIES, GENERAL.

(a) Structure; construction.

***** At time of inspection the houses located in the pens known to the owner as "Dons" and "Einstiens" pens are no longer structurally sound and need to be repaired or replaced. The side and back walls have started separating from the roof section and the roofing material covering the roof has become torn and is in need of replacement.

Repair or replacement of these housing units will provide the protection needed for the animals in these pens during periods of strong winds, rain and snow or ice which all are experienced in this location depending on the time of year.

TO BE CORRECTED BY: 10/24/14

This inspection and exit interview conducted by APHIS, USDA, Animal Care Inspector and the owner.

END OF REPORT.

Prepared By: DONNOVAN FOX, A C I USDA, APHIS, Animal Care

Date:
24-SEP-2014

Title: ANIMAL CARE INSPECTOR 4045

Received by Title: 7013 1090 0002 0489 5504

Date:
25-SEP-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
13266	74-A-1192	001	Billy Joe Toney	24-SEP-14

Count	Scientific Name	Common Name
000061	<i>Canis lupus familiaris</i>	DOG ADULT
000013	<i>Canis lupus familiaris</i>	DOG PUPPY
000074	Total	