



## Inspection Report

---

Raymond Harrison  
14478 Peterson Road  
BENTONVILLE, AR 72712

Customer ID: **333579**  
Certificate: **71-A-1352**  
Site: 001  
Raymond Harrison

Type: ROUTINE INSPECTION  
Date: 09-JUN-2021

---

### 2.40(b)(3) Direct

#### Attending veterinarian and adequate veterinary care (dealers and exhibitors).

Several rabbits were suffering from untreated and unobserved medical conditions. Two rabbits had ruptured abscesses around their heads, while 2 other rabbits had swellings consistent with unruptured abscesses. Three rabbits had reddened, squinting eyes with heavy discharge. Two rabbits had large swollen nipples that had turned black. Two rabbits had large sores on their hocks so that they were reluctant to move. One rabbit had a head tilt and was circling. One rabbit had protruding teeth and was not eating. All of these conditions are chronic in nature but had not been noted by the licensee or his employees. When conditions go unidentified, treatment is delayed and they can become more severe, causing increased suffering, and even death in the animals. All animals must be observed daily to assess their health and well-being and any problems promptly communicated with the veterinarian. Correct immediately.

### 3.53(a)(1)

#### Primary enclosures.

Rabbit enclosures were in disrepair and not being maintained. Several enclosures had rusted or missing clips between the walls and floors, causing the walls and floors to gape. The wire floors and walls were rusted and the wires were broken and protruding. I counted 67 enclosures with broken wires protruding into enclosures, creating sharp points that could injure the rabbits. Additionally, some of the gaps were large enough for kits and adult rabbits to move between

---

Prepared By: COURTNEY JERNIGAN  
USDA, APHIS, Animal Care  
Title: VETERINARY MEDICAL  
OFFICER

Date:  
14-JUN-2021

Received by Title: Facility Representative

Date:  
14-JUN-2021



## Inspection Report

---

enclosures. Broken and gaping cages put rabbits at risk for injury from sharp points, leg entrapment, and fighting. Additionally, rabbits that can escape their enclosures may become lost and killed. Correct by ensuring all enclosures are structurally sound and maintained in good repair to contain and protect the rabbits. Correct by June 30th.

This inspection and exit interview were conducted with a facility representative.

Additional Inspectors:

Kristina Shank, ANIMAL CARE INSPECTOR

---

**Prepared By:** COURTNEY JERNIGAN  
USDA, APHIS, Animal Care  
**Title:** VETERINARY MEDICAL  
OFFICER

**Date:**  
14-JUN-2021

**Received by Title:** Facility Representative

**Date:**  
14-JUN-2021



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
333579	71-A-1352	001	Raymond Harrison	09-JUN-2021

Count	Scientific Name	Common Name
001473	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
001473	<b>Total</b>	