



Inspection Report

Mary Wilson
304 Hwy. 101 South
Crescent City, CA 95531

Customer ID: 3611
Certificate: 93-C-0389
Site: 001
MARY WILSON

Type: ROUTINE INSPECTION
Date: 11-JUN-2015

3.101(a)(1)

FACILITIES, GENERAL.

The metal back wall of the outside quarantine area for the marine mammals has peeling and flaking paint. This wall needs to be scraped and painted to prevent flaking paint from falling on the floor and/or into the quarantine pool. Flaking paint could contaminate the pool and possibly be ingested by the marine mammals when contained in the quarantine area. A regular schedule of enclosure review and maintenance needs to be in place and followed.

Correct by: 31/July/2015

An exit interview was conducted with the facility representative.

Additional Inspectors

Lundy Kendall, Animal Care Inspector

Prepared By: TOM LECROY, A C I USDA, APHIS, Animal Care

Date:
24-JUN-2015

Title: ANIMAL CARE INSPECTOR 5029

Received by Title: OWNER

Date:
24-JUN-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
3611	93-C-0389	001	MARY WILSON	11-JUN-15

Count	Scientific Name	Common Name
000003	<i>Phoca vitulina</i>	HARBOR SEAL
000002	<i>Zalophus californianus</i>	CALIFORNIA SEA LION
000005	Total	