



## Inspection Report

Pierce College  
6201 Winnetka Avenue  
Woodland Hills, CA 91371

Customer ID: 1172  
Certificate: 93-R-0053  
Site: 001  
PIERCE COLLEGE

Type: ROUTINE INSPECTION  
Date: 03-SEP-2014

### 3.125(a)

#### FACILITIES, GENERAL.

In one goat enclosure, there was a large piece of plywood on the ground. The material was originally attached to the fence side wall of the enclosure. In an adjacent enclosure, the plywood wall was heavily chewed and the wood was splintering. Failure to maintain animal housing facilities in good repair may adversely affect their health and well-being. Outdoor housing facilities should be structurally sound and should be maintained in good repair to protect the animals from injury.

To be corrected by September 17, 2014

### 3.131(c)

#### SANITATION.

At the goat unit, there was an accumulation of fecal material in 3 animal runs not currently housing animals. The runs were located across from the enclosures that currently house goats. Accumulations of waste materials can attract flies and other flying insects as well as produce odors to animal areas. A system should be in place and maintained that removes waste products from animal areas as often as needed to minimize pests and odors.

To be corrected by September 17, 2014

An exit briefing was conducted with the facility representative.

Prepared By: ALEXANDRA ANDRICOS, D V M USDA, APHIS, Animal Care

Date:  
16-SEP-2014

Title: VETERINARY MEDICAL OFFICER 5038

Received by Title: FACILITY REPRESENTATIVE

Date:  
16-SEP-2014



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
1172	93-R-0053	001	PIERCE COLLEGE	03-SEP-14

Count	Scientific Name	Common Name
000008	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000014	<i>Capra hircus</i>	DOMESTIC GOAT
000001	<i>Lama glama</i>	LLAMA
000004	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000001	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
<b>000028</b>	<b>Total</b>	