



## Inspection Report

Derek Evans  
2521 North R St  
Pensacola, FL 32505

Customer ID: **328502**  
Certificate: **58-B-0599**  
Site: 001  
DEREK EVANS

Type: ROUTINE INSPECTION  
Date: 27-JAN-2015

### 3.127(d)

#### FACILITIES, OUTDOOR.

The perimeter fence surrounding the enclosure for the skunks is currently only 4 feet and 7 inches high. There is a section next to one side of the enclosure is leaning over so is even lower. The perimeter fence must be 6 feet high and at least 3 feet from the animal enclosure unless approved in writing by the Administrator. All outdoor housing facilities must be enclosed by a perimeter fence that is constructed and maintained so that it protects the animals in the facility by restricting animals and unauthorized persons from going through it or under it and having contact with the animals in the facility, and so that it can function as a secondary containment system for the animals in the facility.

Correct by May 15, 2015.

Exit interview conducted with the licensee.

Prepared By: KIMBERLY DUFFINEY, A C I USDA, APHIS, Animal Care

Date:  
27-JAN-2015

Title: ANIMAL CARE INSPECTOR 1082

Received by Title: LICENSEE

Date:  
27-JAN-2015



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
328502	58-B-0599	001	DEREK EVANS	27-JAN-15

Count	Scientific Name	Common Name
000019	<i>Atelerix albiventris</i>	HEDGEHOG
000002	<i>Mephitis mephitis</i>	STRIPED SKUNK
000038	<i>Petaurus breviceps</i>	SUGAR GLIDER
000006	<i>Phodopus roborovskis</i>	ROBOROVSKIS DWARF HAMSTER
<b>000065</b>	<b>Total</b>	