



## Inspection Report

Cathy Smith  
7422 Cr 466  
Princeton, TX 75407

Customer ID: 32625  
Certificate: 74-C-0889  
Site: 001  
Cathy Smith

Type: ROUTINE INSPECTION  
Date: 13-JUN-2017

### 2.131(d)(2)

#### HANDLING OF ANIMALS.

At the time of this inspection a summer camp was being held for approximately 20 children. The children were divided into 2 groups with a counselor responsible for each group. The counselor for one group was observed sitting on the ground as the children chased animals around the enclosure. The other group was handling baby pigs with no counselor anywhere to be seen.

During periods of public contact an identifiable employee or attendant must be present and actively ensuring the public is handling the animals in a responsible manner.

To be corrected by: June 16, 2017

### 3.53(a)

#### PRIMARY ENCLOSURES.

The rabbit cages hanging on the wall had an excessive amount of rusty wire. Some of the pans had areas that were rusted through.

Primary enclosures must be maintained in good repair to protect the animals from injury and contain the animals. Rusty wire cannot be adequately cleaned which could lead to illness in the animals. Pans that are rusted through cannot adequately perform their function of containing waste materials.

The cages need to be repaired or replaced or another method for housing the rabbits needs to be implemented.

To be corrected by: July 1, 2017

### 3.125(a)

#### FACILITIES, GENERAL.

Prepared By: DIGESUALDO CYNTHIA, D V M USDA, APHIS, Animal Care

Date:  
15-JUN-2017

Title: VETERINARY MEDICAL OFFICER 5055

Received by Title: SENT BY EMAIL

Date:  
15-JUN-2017



## Inspection Report

---

One of the fences in the pig yard was constructed of 2x2 inch wire. The pigs had ripped holes in several parts of the fence. There were a lot of sharp wire points accessible to pigs and children. The pig house had an approximate 1'x2' hole in the side where the pigs had pushed through the wall and the front door was broken. The broken front door had sharp screw points accessible to the pigs.

Facilities must be maintained in good repair to protect the animals from injury and to contain the animals.

The pig fence and house need to be repaired and maintained so that they are structurally sound and do not pose a hazard to animals or people.

To be corrected by: July 1, 2017

This inspection and exit interview were conducted with the licensee.

---

**Prepared By:** DIGESUALDO CYNTHIA, D V M      USDA, APHIS, Animal Care

**Date:**  
15-JUN-2017

**Title:** VETERINARY MEDICAL OFFICER 5055

**Received by Title:** SENT BY EMAIL

**Date:**  
15-JUN-2017



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
32625	74-C-0889	001	Cathy Smith	13-JUN-17

Count	Scientific Name	Common Name
000002	<i>Atelerix albiventris</i>	FOUR-TOED HEDGEHOG (MOST COMMON PET HEDGEHOG)
000004	<i>Bos primigenius indicus</i>	ZEBU
000004	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000070	<i>Capra hircus</i>	DOMESTIC GOAT
000035	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000001	<i>Cynomys gunnisoni</i>	GUNNISON'S PRAIRIE DOG
000005	<i>Dolichotis salinicola</i>	CHACOAN CAVY
000010	<i>Lama glama</i>	LLAMA
000002	<i>Nasua nasua</i>	SOUTH AMERICAN COATI
000002	<i>Notamacropus agilis</i>	AGILE WALLABY
000001	<i>Notamacropus rufogriseus</i>	BENNETT'S WALLABY / RED-NECKED WALLABY
000070	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000002	<i>Osphranter rufus</i>	RED KANGAROO
000013	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000011	<i>Petaurus breviceps</i>	SUGAR GLIDER
000038	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
<b>000270</b>	<b>Total</b>	