



## Inspection Report

---

Frances Reed Higgins  
2350 N. BOSWORTH AVE  
SILVER CITY, NM 88061

Customer ID: **28331**  
Certificate: **85-B-0093**  
Site: 001  
FRANCES REED HIGGINS

Type: ROUTINE INSPECTION  
Date: 22-SEP-2022

---

### 3.30

#### Watering.

In an enclosure housing four adult and seven juvenile guinea pigs, one of the two water bottles has a green film on the inside of the bottle. The licensee removed the bottle and examined it, stating that she needed to clean it better.

Water receptacles that are not kept clean and sanitized on a regular basis encourage microbial growth, could cause the water to become unpalatable, and cause illness in the animals. The licensee must ensure that all watering receptacles are sanitized at least once every two weeks and whenever visibly dirty.

CORRECTED AT TIME OF INSPECTION

This inspection and exit interview were conducted with the licensee.

---

Prepared By: TAMILA STOTT  
USDA, APHIS, Animal Care  
Title: VETERINARY MEDICAL  
OFFICER

Date:  
23-SEP-2022

Received by Title: Licensee

Date:  
23-SEP-2022



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
28331	85-B-0093	001	FRANCES REED HIGGINS	22-SEP-2022

Count	Scientific Name	Common Name
000017	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000001	<i>Mesocricetus auratus</i>	SYRIAN / GOLDEN HAMSTER (COMMON PET/RESEARCH TYPE)
000005	<i>Chinchilla lanigera</i>	CHINCHILLA (DOMESTICATED)
000007	<i>Canis lupus familiaris</i>	DOG ADULT
000030	<b>Total</b>	