



Inspection Report

Rebecca Mosshart
2332 C R 31
Protection, KS 67127

Customer ID: **4157**
Certificate: **48-A-0366**
Site: 002

Rebecca Mosshart (PROTECTION)

Type: ROUTINE INSPECTION
Date: 05-AUG-2014

3.1(c)(3)

HOUSING FACILITIES, GENERAL.

There are approximately 7 metal dog doors among the 6 dog kennel buildings that have an accumulation of dog oil, dirt, and grime. This material covers up to approximately 40-50% of the outdoor surface of some of these doors. Surfaces that are not sanitized on a regular basis can lead to an increase in disease transmission. All hard surfaces in contact with dogs must be spot-cleaned daily and sanitized to reduce disease hazards. Correct by 7 August 2014.

This routine inspection and exit interview were conducted with a facility representative.

Prepared By: KENDALL LUNDY, A C I USDA, APHIS, Animal Care

Date:
06-AUG-2014

Title: ANIMAL CARE INSPECTOR 4015

Received by Title: SENT VIA ELECTRONIC MAIL

Date:
06-AUG-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
4157	48-A-0366	002	Rebecca Mosshart (PROTECTION)	05-AUG-14

Count	Scientific Name	Common Name
000395	<i>Canis lupus familiaris</i>	DOG ADULT
000141	<i>Canis lupus familiaris</i>	DOG PUPPY
000536	Total	