



Inspection Report

RICHARD PECK
E4561 Sherwood Drive
Spring Green, WI 53588

Customer ID: **2349**
Certificate: **35-C-0329**
Site: 001
RICHARD PECK

Type: ROUTINE INSPECTION
Date: 13-JUL-2021

3.125(a)

Repeat

Facilities, general.

Areas of wire points and loose wire fencing were seen in the fallow deer and calf's enclosure. Also, parts of a panel were broken and protruding into the elk enclosure. Loose wires and wire points in animal areas could cause injury to animals. Ensure that the enclosures are maintained structurally sound and in good repair to protect animals from injury.

This inspection and exit interview were conducted with facility representatives.

Prepared By: SCOTT WELCH

USDA, APHIS, Animal Care

Date:
13-JUL-2021

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Facility Representative

Date:
13-JUL-2021



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
2349	35-C-0329	001	RICHARD PECK	13-JUL-2021

Count	Scientific Name	Common Name
000036	<i>Capra hircus</i>	DOMESTIC GOAT
000007	<i>Dama dama</i>	FALLOW DEER
000003	<i>Odocoileus virginianus</i>	WHITE-TAILED DEER
000001	<i>Cervus elaphus canadensis</i>	ELK
000010	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000005	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000062	Total	