



Inspection Report

Joseph B Fisher
61 Liberty Lane
Kirkwood, PA 17536

Customer ID: **45045**
Certificate: **23-B-0228**
Site: 001
JOSEPH FISHER

Type: ROUTINE INSPECTION
Date: 25-AUG-2015

3.31(a)(1)

SANITATION.

There is a buildup brown scale and debris on the plastic floor of the guinea pig enclosures. The regular cleaning process (method and frequency) utilized is not effective in removing this accumulation of scale and debris. Licensee recently tried an acid wash on one of the enclosures and the brown scale was removed. The brown scale buildup must be removed from the rest of the guinea pig enclosures. Failure to effectively clean and sanitize enclosures exposes the animals to potential disease hazards such as bacterial, fungal, and viral diseases. Primary enclosures must be cleaned often enough to prevent an accumulation of scale and debris and must be sanitized at least once every two weeks. Correct by ensuring that all primary enclosures are kept clean to prevent an accumulation of scale and debris and that enclosures are sanitized at least once every two weeks.

Correct by September 7, 2015

An exit briefing was conducted with owner.

Prepared By: ROBERT MARKMANN, A C I USDA, APHIS, Animal Care

Date:
25-AUG-2015

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: OWNER

Date:
25-AUG-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
45045	23-B-0228	001	JOSEPH FISHER	25-AUG-15

Count	Scientific Name	Common Name
000330	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000330	Total	