## United States Department of Agriculture Animal and Plant Health Inspection Service

2016082568031267 Insp id

## **Inspection Report**

Ellijay Wildlife Rehabilitation Sanctuary Inc

435 Cougar Lane

Ellijay, GA 30540

Customer ID: 3862

> Certificate: 57-C-0118

> > Site: 001

ELLIJAY WILDLIFE REHABILITATION SANCTUARY INC

Type: **ROUTINE INSPECTION** 

Date: 06-DEC-2016

#### 3.125(a) **REPEAT**

#### **FACILITIES, GENERAL.**

\*\*\*The wire fence material used at the bottom of the divider fence for the black bear Seymore has been bent and torn leaving sharp points that may cause injury. The fence shall be repaired.

#### 3.127(b) **CRITICAL**

#### **FACILITIES, OUTDOOR.**

\*\*\*The den boxes for the black bears are very shallow in depth not affording enough space for the bears to be fully protected from the rain and cold. The dens are triangular shaped with the front fully open to the weather and there is currently no bedding in any of the enclosures. During the inspection the temperature is 53 degrees with temperatures expected to drop into the low thirties at night. Considering the age of the bears (11 - 23 yrs), the single housing of four of the bears and the type of shelter provided, the shelters are inadequate to provide for the health and well-being of the bears in the cold. An additional means of protection shall be provided to protect their well-being. Correct by end of day.

\*\*\*The singly housed cougars have shelters with front sides that are entirely open to the weather. There is no bedding currently provided and no wind breaks. The shelters do not provide adequate protection from the wind and cold. During the inspection the temperature is 53 degrees with temperatures expected to drop into the low thirties at night. Additional means of warming and protection from inclement weather shall be provided. Correct by end of day.

### 3.131(c)

#### SANITATION.

\*\*\*The enclosure for the grey squirrel has a build up of hair and debris on the back side and on the edges of the catch pan beneath the enclosure. There is hair and debris accumulating on the wall and floor behind the enclosure. The enclosure, wall and floor shall be cleaned to minimize attraction for insects and rodents and thereby minimize disease hazard. Corrected prior to end of inspection.

Prepared By: MICHELLE WILLIAMS, D V M USDA, APHIS, Animal Care Date:

Title: VETERINARY MEDICAL OFFICER 2028

Received by Title: VIA EMAIL Date: 08-DEC-2016

Page 1 of 2

08-DEC-2016





# **Inspection Report**

This inspection and exit interview were conducted with the Wildlife Director.

Prepared By:MICHELLE WILLIAMS, D V MUSDA, APHIS, Animal CareDate:<br/>08-DEC-2016

Title: VETERINARY MEDICAL OFFICER 2028

Received by Title: VIA EMAIL Date:

08-DEC-2016



# United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 3862 Inspection Date: 06-DEC-16

# **Species Inspected**

Cust No	Cert No	Site	Site Name	Inspection
3862	57-C-0118	001	ELLIJAY WILDLIFE REHABILITATION SANCTUARY INC	06-DEC-16
Count	Scientific Name		Common Name	

Count	Scientific Name	Common Name
000001	Atelerix albiventris	HEDGEHOG
000001	Atelerix albiventris	HEDGEHOG
000001	Atelerix albiventris	HEDGEHOG
000002	Chinchilla brevicaudata	CHINCHILLA
000001	Didelphis virginiana	VIRGINIA OPOSSUM
000003	Mustela putorius furo	DOMESTIC FERRET
000006	Oryctolagus cuniculus	EUROPEAN RABBIT
000002	Procyon lotor	RACCOON
000002	Puma concolor	PUMA / MOUNTAIN LION / COUGAR
000001	Sciurus carolinensis	EASTERN GREY SQUIRREL
000006	Ursus americanus	NORTH AMERICAN BLACK BEAR
000026	Total	