



Inspection Report

Larry E Bolz
Yvette R Bolz
1165 Rd 90
Olpe, KS 66865

Customer ID: **12083**
Certificate: **48-A-1582**
Site: 001
Yvette Bolz, Larry Bolz

Type: ROUTINE INSPECTION
Date: 28-OCT-2014

3.1(a)

HOUSING FACILITIES, GENERAL.

* Protruding wires resulting in sharp points were observed in three enclosures. Six dogs are in contact with the affected wires located in outdoor housing. Sharp points could potentially injure the animals. The licensee must ensure that all enclosures are maintained in good repair at all times to protect the animals from injury. Correct by 11/4/14.

* The top half of one plastic shelter structure is broken and jagged with a sharp edge. Two dogs are in contact with the affected shelter structure located in outdoor housing. A sharp, jagged edge could potentially cause injury. The licensee must ensure that all surfaces are kept in good repair and protect the animals from injury. Correct by 11/4/14.

* Enclosure fencing was bowing along the bottom creating a two to three inch gap between the fencing and cement flooring. Three dogs are in contact with the affected fencing located in outdoor housing. The potential for injury, stress or discomfort exists if any dog gets caught in the gap area. The licensee must ensure all enclosures protect the animals from injury and contain the dogs securely at all times. Correct by 11/4/14.

3.1(c)(2)

HOUSING FACILITIES, GENERAL.

* The bottom edge of one metal outdoor shelter used by two dogs is heavily rusted and has flaked off and created a jagged, sharp edge along the bottom of the shelter. Jagged edges and sharp points could potentially cause injury to the dogs. The licensee must ensure that all surfaces that come in contact with the dogs be free of jagged, sharp edges. Correct by 11/4/14.

3.1(f)

Prepared By: ROBERT BACON, A C I USDA, APHIS, Animal Care

Date:
30-OCT-2014

Title: ANIMAL CARE INSPECTOR 4001

Received by Title: OWNER

Date:
30-OCT-2014



Inspection Report

HOUSING FACILITIES, GENERAL.

* Mixture of water, excreta and urine is collecting next to the cement runs in two different areas. Six dogs are in contact with the affected area located in outdoor housing. Potential disease or health risks exist when water, excreta and urine is not removed in a timely manner. In addition, unsanitary conditions exists when water, excreta and urine continues to collect next to the cement runs. The licensee must provide for the regular and frequent removal of water, other fluids and waste in a manner that minimizes contamination and disease risks. Correct by 11/4/14.

3.9(b)

FEEDING.

* Bird droppings, dust and cobwebs were observed on top of one wood food receptacle. The receptacle used by two dogs are located in outdoor housing. Potential food contamination exists affecting the health and well-being of the dogs. In addition, the surface area cannot be readily cleaned and sanitized. The licensee must ensure that all food receptacles can be properly cleaned and sanitized at all times. Correct by 11/4/14.

3.11(b)(2)

CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

* The cement runs in two outdoor enclosures have an estimated 1/4 to 1/2 inch cracks in the cement floor. Six dogs are in contact with the affected cement flooring. Gaps or cracks in cement flooring can allow accumulations of dirt, debris, food waste, excreta, and other disease hazards. In addition, the surface area can not be adequately cleaned and sanitized. The licensee must fill in all gaps with surface material that will not allow the accumulation of any dirt, debris, food waste, excreta or any other disease hazards in the gap area. Correct by 11/4/14

* Three metal pipe enclosure gates have a mixture of excreta, grime and dried fecal residue on 15 to 20 percent of the metal gate. There are three dogs in contact with the enclosure gates located in outdoor housing. Sanitization of surfaces is necessary to prevent an accumulation of excreta and other disease hazards. It indicates an unsanitary living condition exists that could lead to potential disease or health risks. The licensee must ensure that all surfaces are cleaned and sanitized once every two weeks or more often if needed. Correct by 11/4/14.

Prepared By: ROBERT BACON, A C I USDA, APHIS, Animal Care

Date:
30-OCT-2014

Title: ANIMAL CARE INSPECTOR 4001

Received by Title: OWNER

Date:
30-OCT-2014



Inspection Report

* The facility inspection done on 10/28/14 and exit briefing done on 10/30/14 were conducted with the licensee.

Additional Inspectors

Tygart Michael, Supervisory Animal Care Specialist

Prepared By: ROBERT BACON, A C I USDA, APHIS, Animal Care

Date:
30-OCT-2014

Title: ANIMAL CARE INSPECTOR 4001

Received by Title: OWNER

Date:
30-OCT-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
12083	48-A-1582	001	Yvette Bolz, Larry Bolz	28-OCT-14

Count	Scientific Name	Common Name
000125	<i>Canis lupus familiaris</i>	DOG ADULT
000074	<i>Canis lupus familiaris</i>	DOG PUPPY
000199	Total	