



Inspection Report

Cynthia Hayes
James Hayes
47718 315 Street
Akron, IA 51001

Customer ID: **5061**
Certificate: **46-B-0033**
Site: 001
JAMES AND CYNTHIA HAYES

Type: ROUTINE INSPECTION
Date: 05-AUG-2015

3.1(c)(2)

HOUSING FACILITIES, GENERAL.

* In the main kennel, the wood framing for two dog doorways had gaps between the framing and the walls. One of the wood frames was excessively chewed and scratch. One wood post, in one of the enclosures, was excessively scratched and chewed. These wood surfaces cannot be readily cleaned and sanitized. Thus, the disease potential can be increase for three adult dogs. All surfaces must be maintained on a regular basis. This is so the surfaces can be readily cleaned and sanitized. With proper cleaning and sanitization of the surfaces the disease potential for the animals will be decreased.

To be corrected by 25-August-2015.

This inspection and exit interview was conducted with the facility representatives and Randall Wagner (ACI).

This inspection report will be sent by e-mail.

Prepared By: RANDALL WAGNER, A C I USDA, APHIS, Animal Care

Date:
08-AUG-2015

Title: ANIMAL CARE INSPECTOR 4038

Received by Title: E-MAIL

Date:
08-AUG-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
5061	46-B-0033	001	JAMES AND CYNTHIA HAYES	05-AUG-15

Count	Scientific Name	Common Name
000077	<i>Canis lupus familiaris</i>	DOG ADULT
000103	<i>Canis lupus familiaris</i>	DOG PUPPY
000180	Total	