



Inspection Report

JAMES MILLER
12904 FARRINGTON ROAD
ASHLAND, VA 23005

Customer ID: **22627**
Certificate: **52-C-0297**
Site: 001
JAMES B MILLER

Type: ROUTINE INSPECTION
Date: 20-APR-2022

2.75(b)(1)

Records: Dealers and exhibitors.

The licensee is missing acquisition paperwork for both red foxes on the property. Two red foxes currently on the property do not have acquisition paperwork.

Failure to maintain required records prevents trace back of animals during a disease outbreak and does not allow for proper accountability or identification of the animals during inspection.

Correct by 27 April 2022 by ensuring that records are maintained which fully and correctly disclose all information concerning each animal for which has been purchased, or otherwise acquired, owned, held or otherwise disposed of, in your possession or under your control, or which is transported, euthanized, sold, or otherwise disposed.

3.125(a)

Facilities, general.

The red fox enclosure is not being maintained in good repair. The bottom metal bar of the chain link door into the red fox enclosure has rusted and has two separate cracks in the metal surface. One crack is approximately 1" long while the second crack is approximately 2.5" long. Metal that has rusted to the point of cracking has lost its structural integrity and may fail to contain the animals or lead to sharp points that can injure the animals within the enclosure. Correct by 6 May

Prepared By: RACHEL PEREZ-BAUM
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL OFFICER

Date:
27-APR-2022

Received by Title: Licensee

Date:
27-APR-2022



Inspection Report

2022 by ensuring all outdoor housing facilities are structurally sound and maintained in good repair to protect the animals from injury and contain the animals.

3.127(d)

Facilities, outdoor.

The facility does not have continuous perimeter fence that is 6' tall surrounding the red fox enclosure or coatimundi outdoor enclosure. The red fox enclosure is comprised of chain-link metal on all four sides and roof. The enclosure is set on concrete. Outside of the enclosure is a standard 4' fence to separate the area from the neighboring personal pets. There is an additional perimeter fence placed outside the secondary fence which is 6' in some areas and only 4-5' in other areas. About half of the perimeter fence around the coatimundi enclosure is 6' in height with the remaining fence line the standard 4-5" height. The perimeter fence is located 3' from the primary enclosure. Perimeter fences are necessary to protect the animals in the facility by restricting animals and unauthorized persons from going through it or under it and having contact with the animals in the facility. It should also serve as a secondary containment system for the animals housed within.

Correct by 11 May 2022 by ensuring a 6' perimeter fence surrounds both the red fox and coatimundi enclosures and is located at least 3' from the primary enclosure or by obtaining Administrator approval for a variance in the 6' height of the fencing.

This inspection and exit interview were conducted with the licensee.

Prepared By: RACHEL PEREZ-BAUM
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
27-APR-2022

Received by Title: Licensee

Date:
27-APR-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
22627	52-C-0297	001	JAMES B MILLER	20-APR-2022

Count	Scientific Name	Common Name
000001	<i>Nasua nasua</i>	SOUTH AMERICAN COATI
000002	<i>Vulpes vulpes</i>	RED FOX (INCLUDES SILVER FOX & CROSS FOX)
000003	Total	