



## Inspection Report

C D D Nca Inc  
Po Box 2091  
Decatur, AL 35602

Customer ID: **42687**  
Certificate: **64-C-0205**  
Site: 001  
CDD NCA INC

Type: ROUTINE INSPECTION  
Date: 11-JUN-2015

### 3.52(a)

#### FACILITIES, OUTDOOR.

\*\* The rabbits were in a hutch outdoors near the donkey pen with a metal roof with no insulation. The direct sun on that roof makesthe enclosure hot. The rabbits were stretched out breathing rapidly. It was about 10:00 am and the temperature was 85 degrees F with a heat index of 92 degrees F. The rabbits need to be provided with an artificial cooling shall be provided by some other means. The facility gave the rabbits frozen water bottles. It was discussed that if the water bottles aren't sufficient that they are required to give some other means to cool the animals for their health and well-being. Corrected immediately.

### 3.56(b)(1)

#### SANITATION.

\*\* The rabbits hutch has had the bedding removed but the enclosure has not been sanitized in the last month. Sanitize the enclosure to prevent disease and illness. Correct by June 14, 2015

### 3.125(a)

#### FACILITIES, GENERAL.

\*\* The fencing needs to be repaired. The goats are pushing the fencing away from the post and it is no longer connected at the bottom. The fencing needs to be in good repair to make sure the animals can stay contained and keep predators out. Correct by June 25, 2015

The inspection and exit briefing was conducted with the CEO.

Prepared By: ANNETTE CHAPMAN, D V M USDA, APHIS, Animal Care

Date:  
16-JUN-2015

Title: VETERINARY MEDICAL OFFICER 6048

Received by Title: SENT VIA FIRST CLASS MAIL

Date:  
16-JUN-2015



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
42687	64-C-0205	001	CDD NCA INC	11-JUN-15

Count	Scientific Name	Common Name
000005	<i>Capra hircus</i>	DOMESTIC GOAT
000002	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
<b>000007</b>	<b>Total</b>	