



Inspection Report

LUFTHANSA CARGO AG
BUILDING 23 NORTH SERVICE ROAD
JFK INTERNATIONAL AIRPORT
JAMAICA, NY 11430

Customer ID: **26261**
Certificate: **21-T-0070**
Site: ORD
LUFTHANSA CARGO AG

Type: ROUTINE INSPECTION
Date: 21-JUL-2021

3.14(c)

Consignments to carriers and intermediate handlers.

Two cat transport enclosures, scheduled on LH 431 (AWB 020-90306996), were accepted without securely attached, easily readable certifications that food and water were offered to the animals 4 hours prior to their delivery. The absence of these certifications does not assure that the animals will be offered food and water at required frequencies when the animals are in transport for 12 or more hours. Assure certifications that animals are offered food and water during the 4 hours prior to delivery are securely attached to their enclosures in a manner that makes them easily noticed and read.

3.15(a)(9)

Primary enclosures used to transport live dogs and cats.

Two cat transport enclosures, scheduled on LH 431 (AWB 020-90306996), were accepted without suitable absorbent material inside. Both cats had only a blanket present on the bottom of their respective enclosures. The absence of suitable absorbent materials in these enclosures could potentially allow the animals to become soiled in excreta. Assure all cat transport enclosures contain a suitable absorbent material that is safe and nontoxic.

3.17(c)

Food and water requirements.

Two cat transport enclosures, scheduled on LH 431 (AWB 020-90306996), were accepted without securely attached food receptacles inside. One enclosure contained an unattached plastic food container while the other enclosure contained an

Prepared By: CHAD MOORE
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
21-JUL-2021

Received by Title: Facility Representative

Date:
21-JUL-2021



Inspection Report

unattached, bent/damaged aluminum foil baking pan for use as the food receptacle. Additionally, both water receptacles were made of aluminum foil baking pans that were zip tied to the enclosure door. All the receptacles had food or water in them during the inspection. One dog transport enclosure (AWB 020-90295575) did not have a food receptacle securely attached to the inside. The animal did have a water bowl securely attached to the door of the enclosure. The foil baking pans could be damaged during transport and spill their contents into the enclosure. The unattached food receptacles could shift around the enclosure, inhibiting the ability to fill them without opening the door. Assure appropriate food and water receptacles are securely attached to the inside of dog and cat enclosures.

The inspection and exit interview were conducted with the facility representative.

Prepared By: CHAD MOORE

USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR

Date:

21-JUL-2021

Received by Title: Facility Representative

Date:

21-JUL-2021



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
26261	21-T-0070	ORD	LUFTHANSA CARGO AG	21-JUL-2021

Count	Scientific Name	Common Name
000001	<i>Canis lupus familiaris</i>	DOG ADULT
000003	<i>Felis silvestris catus</i>	CAT ADULT
000004	Total	