



## Inspection Report

---

Massachusetts Institute Of Technology  
77 Massachusetts Avenue, 3-234  
Cambridge, MA 02139

Customer ID: **114**

Certificate: **14-R-0018**

Site: 001

MASSACHUSETTS INSTITUTE OF TECHNOLOGY

Type: ROUTINE INSPECTION

Date: 11-JUL-2017

---

There were no non-compliant items identified during the inspection.

NOTE - Inspection conducted 7/11/17 and 7/12/17. Exit briefing held 7/12/17 on-site with facility representatives.

\*END OF REPORT\*

---

**Prepared By:** GLADUE PAULA, V M D USDA, APHIS, Animal Care

**Date:**  
12-JUL-2017

**Title:** VETERINARY MEDICAL OFFICER 1054

**Received by Title:** VETERINARIAN DCM

**Date:**  
12-JUL-2017



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
114	14-R-0018	001	MASSACHUSETTS INSTITUTE OF TECHNOLOGY	11-JUL-17
<b>Count</b>	<b>Scientific Name</b>	<b>Common Name</b>		
000154	<i>Callithrix jacchus</i>	COMMON MARMOSET		
000002	<i>Capra hircus</i>	DOMESTIC GOAT		
000003	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG		
000001	<i>Macaca fascicularis</i>	CRAB-EATING MACAQUE / CYNOMOLGUS MONKEY		
000087	<i>Macaca mulatta</i>	RHESUS MACAQUE		
000003	<i>Meriones unguiculatus</i>	MONGOLIAN GERBIL (COMMON PET / RESEARCH VARIETY)		
000001	<i>Mustela putorius furo</i>	DOMESTIC FERRET		
000015	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT		
000003	<i>Saimiri boliviensis</i>	BLACK-CAPPED SQUIRREL MONKEY		
000008	<i>Suncus etruscus</i>	PYGMY WHITE-TOOTHED SHREW		
000014	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG		
<b>000291</b>	<b>Total</b>			