



Inspection Report

David King
Malinda King
459 Rosedale Rd
Kirkwood, PA 17536

Customer ID: **501255**
Certificate: **23-A-0641**
Site: 001
DAVID AND MALINDA KING

Type: ROUTINE INSPECTION
Date: 10-SEP-2019

2.75(b)(1)

RECORDS: DEALERS AND EXHIBITORS.

Since the previous inspection report records of births and deaths were not available for review for the guinea pigs. Records must be kept and maintained on guinea pig births, deaths, purchases, owned, held, transported, euthanized, sold or otherwise disposed of by dealer. License must ensure that records are kept and maintained on guinea pig births and deaths to document changes in ownership, keep track of animals, and to help assess the animal care program. Correct by September 14, 2019.

3.28(a)(1) REPEAT

PRIMARY ENCLOSURES.

The following enclosures are in need of repair:

- 1) Enclosure # 17 housing 11 adult guinea pigs and their offspring has rusty and broken wire on the front side with holes and sharp wire.
- 2) Enclosure # 18 housing 12 adult guinea pigs and their offspring has rusty and broken wire on the front side.
- 3) Enclosure # 19 housing 11 adult guinea pigs and their offspring has rusty and broken wire on the left side wall with holes and sharp wire ends.

All enclosures must be structurally sound and maintained in good repair to protect the guinea pigs from injury. The above enclosures must be repaired or replaced to prevent the guinea pigs from getting injured from the rusty, broken, and sharp wire, holes in wire sides, or from falling 2 to 5 feet on to the floor. Licensee must develop a maintenance program to repair or replace enclosures that are not structurally sound to prevent animals from injury from the rusty, broken and sharp wire or from falling out of enclosures.

Remains uncorrected.

3.29(d)

FEEDING.

Several rusty self-feeders were no longer in good repair and had sharp and jagged edges. Enclosures numbered 10, 12, 13, 16, and 20 housing a total of 56 guinea pigs had rusty self-feeders with sharp and jagged edges. Rusty

Prepared By: MARKMANN ROBERT, A C I USDA, APHIS, Animal Care

Date:
10-SEP-2019

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: OWNER

Date:
10-SEP-2019



Inspection Report

feeders with jagged points or edges can no longer be appropriately cleaned and sanitized and may injure guinea pigs attempting to feed from broken feeders. Food receptacles must be kept clean and sanitized at least once every 2 weeks. The above self-feeders must be repaired or replaced. Correct by September 21, 2019.

This inspection and exit interview were conducted with the owner.

Prepared By: MARKMANN ROBERT, A C I USDA, APHIS, Animal Care

Date:
10-SEP-2019

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: OWNER

Date:
10-SEP-2019



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
501255	23-A-0641	001	DAVID AND MALINDA KING	10-SEP-19

Count	Scientific Name	Common Name
000462	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000462	Total	