



## Inspection Report

---

Us Government Smithsonian Institution  
Po Box 37012/Mrc 5508  
Washington, DC 20013

Customer ID: **20133**

Certificate: **10-F-0010**

Site: 001

NATIONAL ZOOLOGICAL PARK

Type: ROUTINE INSPECTION

Date: 06-MAY-2015

---

### 3.80(a)

#### PRIMARY ENCLOSURES.

\*\*\* There is a long crack in the glass of the orangutan enclosure #3, approximately 34" in length. The integrity of the glass is compromised and can potentially lead to injury or escape.

Primary enclosures should be constructed of a suitable material as appropriate for the species contained therein to prevent escape or injury. The glass must be replaced to ensure the enclosure is structurally sound to contain the animals. Correct by May 22, 2015

NOTE: A work order has been submitted and replacement of the glass is scheduled.

The exit briefing was conducted with the facility representative.

---

Prepared By: GLORIA MCFADDEN, D V M USDA, APHIS, Animal Care

Date:  
12-MAY-2015

Title: VETERINARY MEDICAL OFFICER 1048

Received by Title: ASSOCIATE DIRECTOR ANIMAL CARE SCIENCES

Date:  
12-MAY-2015



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
20133	10-F-0010	001	NATIONAL ZOOLOGICAL PARK	06-MAY-15

Count	Scientific Name	Common Name
000004	<i>Acinonyx jubatus</i>	CHEETAH
000002	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000004	<i>Capra hircus</i>	DOMESTIC GOAT
000002	<i>Chrysocyon brachyurus</i>	MANED WOLF
000007	<i>Elephas maximus</i>	ASIAN ELEPHANT
000002	<i>Equus grevyi</i>	GREVY'S ZEBRA
000006	<i>Gorilla gorilla</i>	WESTERN GORILLA
000003	<i>Lama pacos</i>	ALPACA
000002	<i>Myrmecophaga tridactyla</i>	GIANT ANTEATER
000004	<i>Nanger dama</i>	ADDRA GAZELLE
000001	<i>Oryx dammah</i>	SCIMITAR-HORNED ORYX
000004	<i>Pongo pygmaeus</i>	BORNEAN ORANGUTAN
000003	<i>Potamochoerus porcus</i>	RED RIVER HOG
000001	<i>Tragelaphus imberbis</i>	LESSER KUDU
000001	<i>Tragelaphus spekii</i>	SITATUNGA
<b>000046</b>	<b>Total</b>	