



Inspection Report

Kasey Crabb Degraw
11880 Manzana Dr.
Apple Valley, CA 92308

Customer ID: **333569**
Certificate: **93-C-1100**
Site: 001
Kasey Crabb Degraw

Type: ROUTINE INSPECTION
Date: 02-FEB-2017

3.125(a)

FACILITIES, GENERAL.

Facility Yard:

-There were three wooden, climbing structures for the goats which were in disrepair with loosely, attached boards and exposed ends of sharp, protruding nails. Additionally, there were several nail heads protruding from the facility's main building and two other storage structures within the facility yard. Structures in disrepair and sharp, protruding points or edges in areas of contact with the animals may lead to injury.

-Several sections of a wooden railing, material were loosely stacked against the side of a storage shed and on the ground. Animals could potentially become injured or trapped in the railing openings if these items fall or are knocked over.

-There was a heavily worn, sagging and loosely attached particle board covering a crawl space opening along the side of the facility's main building. The lack of structural stability of this board covering could lead to injury by an animal falling through or becoming trapped within this opening.

- At least four, exposed and unprotected, extension cords connected to a single power source were lying directly on the ground in this yard. Electrical cords located within reach of the animals pose the risk of serious injury from electrical hazards. Two goats and one pig were freely roaming within the facility yard at time of inspection.

Coatimundi/Raccoon Enclosure: There was exposed underground wire meshing material in several sections of this enclosure. Exposed, wire meshing may cause potential injury or entrapment of the animals.

All enclosures must be structurally sound, kept in good repair and free of sharp points, protruding edges or other hazards in order to protect the animals from injury and properly contain the animals. A system of timely identification, facility repair and maintenance must be in place.

Correct by 03/20/2017.

Prepared By: FIELDS TYLER, D V M USDA, APHIS, Animal Care

Date:
06-FEB-2017

Title: VETERINARY MEDICAL OFFICER 6082

Received by Title: FACILITY REPRESENTATIVE

Date:
06-FEB-2017



Inspection Report

This inspection and exit briefing were conducted with a facility representative.

Prepared By: FIELDS TYLER, D V M USDA, APHIS, Animal Care

Date:
06-FEB-2017

Title: VETERINARY MEDICAL OFFICER 6082

Received by Title: FACILITY REPRESENTATIVE

Date:
06-FEB-2017



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
333569	93-C-1100	001	Kacey Crabb Degraw	02-FEB-17

Count	Scientific Name	Common Name
000001	<i>Atelerix albiventris</i>	FOUR-TOED HEDGEHOG (MOST COMMON PET HEDGEHOG)
000001	<i>Atherurus africanus</i>	AFRICAN BRUSH-TAILED PORCUPINE
000002	<i>Capra hircus</i>	DOMESTIC GOAT
000001	<i>Didelphis virginiana</i>	VIRGINIA OPOSSUM
000001	<i>Leptailurus serval</i>	SERVAL
000001	<i>Nasua olivacea</i>	MOUNTAIN COATI
000001	<i>Procyon lotor</i>	RACCOON
000001	<i>Sus domestica</i>	DOMESTIC PIG
000009	Total	