



Inspection Report

Julies Jungle Inc
4235 Dewey Rose Lane
Cantonment, FL 32533

Customer ID: **1903**
Certificate: **58-B-0583**
Site: 001
JULIES JUNGLE INC

Type: ROUTINE INSPECTION
Date: 11-JUL-2017

3.125(a) REPEAT

FACILITIES, GENERAL.

** In the first kinkajou enclosure containing one kinkajou there were several areas of the caging that the wiring had come undone and its pointy ends were exposed. These areas need to be repaired and secured to ensure the safety and containment of the animals.

**The fennec foxes on the right side has a beam of wood for the structure on the outside of the enclosure and a perch made of wood that has degraded and needs to be replaced.

** In the fennec foxes outdoor enclosure on the left there is a wood beam that is falling on the mesh covering of the enclosure that needs to be removed and repaired. This beam could possibly fall in and injure an animal or possibly create a means to escape. The indoor enclosure had pointy ends of wire along the wall that were exposed. This needs to be repaired.

**In the kinkajous enclosure on the left there is a den box made of wood that has been chewed and soiled. The box is in disrepair and needs to be repaired or replaced.

**In the caracal and serval enclosures there were wood beams on the ground that need to be removed to keep the animals from injuring themselves.

The facility must be constructed of such material and of such strength as appropriate for the animals involved. The indoor and outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals.

3.131(a) REPEAT

SANITATION.

** In the serval enclosure that contained one male there was an abundance of feces and a foul odor. The feces and soiled materials should be removed to minimize odors and pest.

Prepared By: CHAPMAN ANNETTE, D V M USDA, APHIS, Animal Care

Date:
11-JUL-2017

Title: VETERINARY MEDICAL OFFICER 6048

Received by Title: OWNER

Date:
11-JUL-2017



Inspection Report

** The kinkajou enclosure with one female has soiled wood that is odoriferous and it needs to be replaced to prevent disease hazards for the animals.

** In the caracal enclosure there were old wet and potentially soiled cardboard lying around the floor. This needs to be removed to prevent disease hazards.

Feces shall be removed and waste removed from primary enclosures as often as necessary to prevent contamination of the animals contained therein and to minimize disease hazards and to reduce odors. When enclosures are cleaned by hosing or flushing, adequate measures shall be taken to protect the animals confined in such enclosures from being directly sprayed with the stream of water or wetted involuntarily.

This inspection and exit interview were conducted with the owner.

Prepared By: CHAPMAN ANNETTE, D V M USDA, APHIS, Animal Care

Date:
11-JUL-2017

Title: VETERINARY MEDICAL OFFICER 6048

Received by Title: OWNER

Date:
11-JUL-2017



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
1903	58-B-0583	001	JULIES JUNGLE INC	11-JUL-17

Count	Scientific Name	Common Name
000002	<i>Caracal caracal</i>	CARACAL
000005	<i>Leptailurus serval</i>	SERVAL
000003	<i>Potos flavus</i>	KINKAJOU
000004	<i>Vulpes zerda</i>	FENNEC FOX
000014	Total	