



Inspection Report

Desiree Bogan
Lee Bogan
562 Tollett Road
New Hope, AR 71959

Customer ID: **27224**
Certificate: **71-A-0962**
Site: 001
LEE OR DESIREE BOGAN

Type: ROUTINE INSPECTION
Date: 17-OCT-2017

2.40(b)(2)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

** A 4 year old male, tan, Cairn Terrier, micro-chip 0A02006461. Had a dull, dry, discolored spot in the center of the left eye. The dog has not been evaluated by a veterinarian. This can be a sign of illness and/or injury and may be painful. The dog must be evaluated by a veterinarian. To be corrected by: 10-20-17.

** A female, tan, Cairn Terrier, micro-chip 041354273. Had hair matting on the lower legs with debris caught in the mats and had matting under the tail with feces caught in the mats. Hair mats can be painful, harbor debris and moisture and cause skin irritation. The hair mats must be removed and maintained. To be corrected by: 10-20-17.

** A female, red, Shiba Inu, micro-chip 956000003091796. Had a cloudy right eye. The dog has not been evaluated by a veterinarian. This can be a sign of illness and/or injury and may be painful. The dog must be evaluated by a veterinarian. To be corrected by: 10-20-17.

Dealers must use appropriate methods to prevent, control and treat diseases and injuries.

2.131(b)(1)

HANDLING OF ANIMALS.

** Two puppies were observed off of the mats provided to protect the puppies from cooling and to protect the puppies from their feet and legs falling through the flooring. One puppy was lethargic which can be a result of excessive cooling. The owner must take measures to ensure that the puppies do not roll off the comfort mats provided to reduce excessive cooling, physical harm or unnecessary discomfort. To be corrected by: 10-24-17.

3.1(f)

HOUSING FACILITIES, GENERAL.

** The drain system in the large kennel building had feces caught on the back of the gutter and had standing waste

Prepared By: LIES JOHN, A C I USDA, APHIS, Animal Care

Date:
18-OCT-2017

Title: ANIMAL CARE INSPECTOR 4041

Received by Title: OWNER

Date:
18-OCT-2017



Inspection Report

at the end of the gutter by the entrance. Drainage systems must be constructed so that waste and water are rapidly eliminated to minimize vermin, pest, insects, odors and disease hazards. The owner must ensure that the drainage system is properly constructed and maintained. To be corrected by: 11-17-17.

3.11(c)

CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

** The whelping building had self feeders, buckets and other materials stored under the washouts. The large kennel building had PVC pipe, empty feed sacks and other materials stored in the back of the building. This can provide breeding and living areas for rodents and other pest. The debris must be removed and maintained in a clean and neat manner. To be corrected by: 10-24-17.

This inspection and exit briefing was conducted with a facility representative.

End of report.

Additional Inspectors

Yager Cody, Supervisory Animal Care Specialist

Prepared By: LIES JOHN, A C I USDA, APHIS, Animal Care

Date:
18-OCT-2017

Title: ANIMAL CARE INSPECTOR 4041

Received by Title: OWNER

Date:
18-OCT-2017



Species Inspected

| Cust No | Cert No | Site | Site Name | Inspection |
|---------|-----------|------|----------------------|------------|
| 27224 | 71-A-0962 | 001 | LEE OR DESIREE BOGAN | 17-OCT-17 |

| Count | Scientific Name | Common Name |
|---------------|-------------------------------|-------------|
| 000135 | <i>Canis lupus familiaris</i> | DOG ADULT |
| 000011 | <i>Canis lupus familiaris</i> | DOG PUPPY |
| 000146 | Total | |