



Inspection Report

Harriett E Brooks
P O Box 414
Crystal Springs, FL 33524

Customer ID: **3024**
Certificate: **58-C-0494**
Site: 001
HARRIET BROOKS

Type: ROUTINE INSPECTION
Date: 17-NOV-2014

3.130

WATERING.

The water receptacle in the pasture where the sheep, goat, pigs and cow roam free was empty and had a crusty sediment at the bottom of the receptacle.

****Clean Water shall be provided as often as necessary for the health and comfort of the animal.

****All water receptacles shall be kept clean and sanitary.

****To be corrected by 11-17-2014.

****An exit interview was conducted with the facility representative.

Prepared By: LUIS NAVARRO, D V M USDA, APHIS, Animal Care

Date:
17-NOV-2014

Title: VETERINARY MEDICAL OFFICER 6025

Received by Title: FACILITY REPRESENTATIVE

Date:
17-NOV-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
3024	58-C-0494	001	HARRIET BROOKS	17-NOV-14

Count	Scientific Name	Common Name
000001	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000011	<i>Capra hircus</i>	DOMESTIC GOAT
000008	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000006	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000005	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000031	Total	