



Inspection Report

JOHN KING Verna King
2285 Seagrave Dr
Watson Town, PA 17777

Customer ID: 502939
Certificate: 23-A-0711
Site: 001
JOHN & Verna King

Type: ROUTINE INSPECTION
Date: 04-NOV-2022

3.28(c)(1)(iii)

Repeat

Primary enclosures.

There were 2 guinea pig pens that did not provide the required amount of floor space. There was one pen with 32 and one pen with 37 weanling guinea pigs. The pens measured 48 by 24 inches or 1,152 square inches of floor space. Each weanling requires a minimum of 60 square inches of floor space. Total floor space required to house 32 and 37 weanlings is 1,920 and 2,220 square inches respectively. There cannot be more than 19 weanling guinea pigs housed in an enclosure measuring 48 by 24 inches.

Inadequate space can cause stress, crowding, and aggression in animals.

The licensee must ensure that all guinea pigs are provided with the minimum amount of floor space in order to avoid overcrowding and to support the health and well-being of the guinea pigs.

This inspection and exit interview were conducted with the licensee.

Prepared By: CHRISTINA RADZAI
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL OFFICER

Date:
04-NOV-2022

Received by Title: Licensee

Date:
04-NOV-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
502939	23-A-0711	001	JOHN & VERA KING	04-NOV-2022

Count	Scientific Name	Common Name
000405	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000405	Total	