



Inspection Report

The Haven Zoo Inc
668 Price Chapel Rd
Lavonia, GA 30553

Customer ID: **506695**
Certificate: **57-C-0373**
Site: 001
THE HAVEN ZOO INC

Type: RE-LICENSE INSPECTION
Date: 18-JUL-2023

3.75(e)

Housing facilities, general.

The nonhuman primate food biscuits was stored in a storage shed within a plastic leakproof container that was not elevated off the ground. Storing the food container on the floor of the storage shed may allow for any spillage of feed that may occur to stay underneath the storage bin which may attract pests and/or vermin. The food supplies must be stored off the floor and away from the walls, to allow for cleaning underneath and around the supplies.
Corrected at time of inspection.

3.77(a)

Sheltered housing facilities.

The sheltered housing facilities (inside portion) for the non-human primates was above 85 degrees for more than 4 hours while the summer outdoor temperatures reached the mid-90s. There is a fan in the indoor portion of the buildings for ventilation, but currently no mechanism for cooling that can keep the temperature below the maximum allowed 85 degrees for no more than 4 hours. The indoor temperatures measured between 91.3 to 91.8 degrees at 2:30 pm (Kestrel) within each shelter. At 2:30 pm that day, the outdoor temperature was already at 92 degrees and continued to rise to a high of 94 degrees at 4:00 pm. The outdoor temperature did not fall below 85 degrees until 9:00 pm that evening per the Accuweather website. Adequate temperature control is necessary to prevent heat stress of the nonhuman primates. The ambient temperature in the sheltered part of the facility must not rise above 85 degrees for more than 4 consecutive hours when non-human primates are present.
Corrected at time of inspection.

3.125(a)

Facilities, general.

Sharp points were observed on the back right corner of the metal shelter for the pigs within their primary outdoor enclosure where two metal panels that create the sides of the shelter met, leaving an approximately 3-inch gap with sharp edges exposed for approximately 12 inches in height. These sharp edges could cause harm to the animals by allowing injury from the exposed sharp points within their enclosure. The outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals.
Corrected at time of inspection.

Prepared By: LISA EKMAN

USDA, APHIS, Animal Care

Date:
31-JUL-2023

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Licensee

Date:
31-JUL-2023



Inspection Report

This is a 2nd Re-License Inspection for a Class "C" license. The inspection and exit briefing were conducted with the applicant.

All items must be in compliance within 1 more inspection or by AUGUST 12, 2023 or the applicant will forfeit the license fee and must wait 6 months to reapply. Please contact your inspector to schedule your next Re-License Inspection.

Regulated activity can continue under your existing USDA license until it expires.

Prepared By: LISA EKMAN
USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL
OFFICER

Date:
31-JUL-2023

Received by Title: Licensee

Date:
31-JUL-2023



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
506695	57-C-0373	001	THE HAVEN ZOO INC	18-JUL-2023

Count	Scientific Name	Common Name
000001	<i>Leptailurus serval</i>	SERVAL
000002	<i>Lama glama</i>	LLAMA
000021	<i>Capra hircus</i>	DOMESTIC GOAT
000006	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000006	<i>Lemur catta</i>	RING-TAILED LEMUR
000002	<i>Macaca mulatta</i>	RHESUS MACAQUE
000002	<i>Lama pacos</i>	ALPACA
000040	Total	