



## Inspection Report

---

Everglades Jacks LLC  
17595 S Tamiami Trail Ste 120  
Fort Myers, FL 33908

Customer ID: **330253**  
Certificate: **58-C-1130**  
Site: 001  
EVERGLADES JACKS L L C

Type: ROUTINE INSPECTION  
Date: 03-AUG-2023

---

### 3.125(a)

#### Facilities, general.

The enclosure housing two adult tigers contains a wooden pavilion. The pavilion is leaning to one side and the wooden floor of the pavilion has several broken boards. These boards have sharp and jagged edges that twist upward.

Sharp edges and damaged platforms can cause injury or harm to the animals.

Outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals. To be corrected by 8/17/2023.

This inspection and exit interview were conducted with a facility representative.

---

**Prepared By:** CHARLES PALMER  
USDA, APHIS, Animal Care  
**Title:** VETERINARY MEDICAL  
OFFICER

**Date:**  
03-AUG-2023

**Received by Title:** Facility Representative

**Date:**  
03-AUG-2023



United States Department of Agriculture  
Animal and Plant Health Inspection Service

Customer: 330253  
Inspection Date: 03-Aug-2023

### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
330253	58-C-1130	001	EVERGLADES JACKS L L C	03-AUG-2023

Count	Scientific Name	Common Name
000001	<i>Panthera leo</i>	LION
000002	<i>Panthera tigris</i>	TIGER
000001	<i>Lontra canadensis</i>	NORTH AMERICAN RIVER OTTER
000004	<b>Total</b>	