



Inspection Report

Nicole Henderson
15493 N. 107th Street
Longmont, CO 80504

Customer ID: **333388**
Certificate: **84-C-0154**
Site: 001
Nicole Henderson

Type: ROUTINE INSPECTION
Date: 08-NOV-2016

3.125(a)

FACILITIES, GENERAL.

***The chain link material along two walls of the enclosure containing 21 goats, 21 sheep, 3 alpacas, and 1 llama was in disrepair in several locations, with several sharp points extending into the enclosure. Additionally, there were several gaps between the ground and the chain link that measure approximately 5 inches. These gaps and sharp points are within contact of the animals and could cause injury.

***An entire wall of fencing of the enclosure containing 1 zebra and 2 camels is leaning at an approximately 70 degree angle away from the enclosure. This fencing structure is not structurally sound and is not adequate to securely contain the animals within.

***The walls of a metal shed in the daytime enclosure of two camels have sharp, rusted edges at the base, where they are not in contact with the ground. Two of the walls are coming off of the frame of the shed, creating sharp edges that pose a risk of injury to the animals.

***A portion of the fencing of the daytime enclosure of two camels is in disrepair. A wooden pillar was uprooted from the ground and is causing the section of fencing around it to sag. The pillar has created a problem with the current in the electric fence and there is no electricity running through the wire.

***The metal gate in the daytime enclosure of two camels is tilting between the fence posts. It is attached to the fence posts with rope and chains. This fencing structure is not structurally sound and is not adequate to securely contain the animals within.

All housing facilities must be kept in good repair and free of sharp points, protruding edges, or gaps/openings in order to protect the animals from injury. A routine schedule of timely identification, facility repair, and maintenance must be in place to protect the animals from injury, contain them, and ensure that these items do not repeat.

To be corrected by: November 15, 2016

Prepared By: DOMINIQUE ENGEL D.V.M, D V M USDA, APHIS, Animal Care

Date:
08-NOV-2016

Title: HPA GOV USER 6113

Received by Title: LICENSEE

Date:
08-NOV-2016



Inspection Report

3.127(d)

FACILITIES, OUTDOOR.

***One side of the perimeter fence that encircles the camel and zebra enclosure is loose and has several large gaps between the wire fencing and the ground that extend approximately 10 feet in length and are approximately one foot in height. This fence is not adequate to prevent animals or unauthorized people from entering the premises.

The perimeter fence must be constructed so that it protects the animals in the facility by restricting animals and unauthorized persons from going through it or under it and so that it can function as a secondary containment system for the animals in the facility.

To be corrected by: November 10, 2016

This inspection and exit briefing were conducted with the licensee and VMO Dominique Engel.

Prepared By: DOMINIQUE ENGEL D.V.M, D V M USDA, APHIS, Animal Care

Date:
08-NOV-2016

Title: HPA GOV USER 6113

Received by Title: LICENSEE

Date:
08-NOV-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
333388	84-C-0154	001	Nicole Henderson	08-NOV-16

Count	Scientific Name	Common Name
000002	<i>Camelus dromedarius domestic</i>	DOMESTIC DROMEDARY CAMEL
000019	<i>Capra hircus</i>	DOMESTIC GOAT
000001	<i>Equus quagga</i>	BURCHELL'S / GRANT'S / CHAPMAN'S / PLAINS ZEBRA
000001	<i>Lama glama</i>	LLAMA
000003	<i>Lama pacos</i>	ALPACA
000014	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000040	Total	