



## Inspection Report

---

MANDY CURTISS  
1698 NESBITT RD  
ATTICA, NY 14011

Customer ID: **500513**  
Certificate: **21-A-0188**  
Site: 001  
MANDY CURTISS

Type: ROUTINE INSPECTION  
Date: 04-AUG-2021

---

### 2.40(b)(2)

#### Attending veterinarian and adequate veterinary care (dealers and exhibitors).

One bottle of injectable Thiamine was found with an expiration date of October 2020 and one bottle of injectable Vitamin B12 was found with an expiration date of March 2020. Expired medication can lose potency and might not be as effective. This may cause adverse effects in the animals. The facility must ensure that all medications are within date and properly stored.

\*\*\*\*\*Correct by August 20, 2021

### 3.125(a)

#### Facilities, general.

In the large barn a vertical 4x4 post was broken exposing numerous large nails. In the same pen a metal gate was on the ground in the area where the sheep were housed. Lastly, in the adjacent pen there was jagged and bunched wire observed in with the sheep. These conditions could lead to injury of the animals. The facility must maintain enclosures in good repair.

\*\*\*\*\*Correct by September 1, 2021

This inspection and exit interview were conducted with the licensee.

---

Prepared By: KERI LUPO  
USDA, APHIS, Animal Care  
Title: VETERINARY MEDICAL  
OFFICER

Date:  
09-AUG-2021

Received by Title: Licensee

Date:  
09-AUG-2021



## Inspection Report

---

---

**Prepared By:** KERI LUPO

USDA, APHIS, Animal Care

**Title:** VETERINARY MEDICAL  
OFFICER

**Date:**  
09-AUG-2021

**Received by Title:** Licensee

**Date:**  
09-AUG-2021



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
500513	21-A-0188	001	MANDY CURTISS	04-AUG-2021

Count	Scientific Name	Common Name
000526	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000526	<b>Total</b>	