

United States Department of Agriculture Animal and Plant Health Inspection Service

190151048200648 Insp_id

Inspection Report

William Rogers Jr 1739 Dripping Springs Rd Seymour, TN 37865 Customer ID: 39327

Certificate: 63-A-0168

Site: 001

ROGERS RABBITRY

Type: ROUTINE INSPECTION

Date: 08-JUL-2015

3.53(c)(2) REPEAT

PRIMARY ENCLOSURES.

One adult nursing female and 7 nursing young rabbits weighing less than 4.4lbs. are housed in a cage measuring 24x20 in. which provides 3.33 sq. ft. of floor space. The minimum space requirement for a 4.4 lb. or less nursing female rabbit is 4 sq. ft. of floor space. It is important to make sure all rabbits have adequate floor space to make normal postural movements and to have adequate freedom of movement.

Prepared By: KATHERINE WILEY, A C I USDA, APHIS, Animal Care Date:

Title: ANIMAL CARE INSPECTOR 6038

Received by Title: OWNER Date: 08-JUL-2015

Page 1 of 1

09-JUL-2015



United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 39327 Inspection Date: 08-JUL-15

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
39327	63-A-0168	001	ROGERS RABBITRY	08-JUL-15

CountScientific NameCommon Name000475Oryctolagus cuniculusEUROPEAN RABBIT

000475 Total