



## Inspection Report

---

DANIEL KAUFFMAN  
81 FISHER LANE  
LOGANTON, PA 17747

Customer ID: **331149**  
Certificate: **23-A-0723**  
Site: 001  
DANIEL KAUFFMAN

Type: ROUTINE INSPECTION  
Date: 23-NOV-2022

---

### 2.75(b)(1)

#### Records: Dealers and exhibitors.

A current record of guinea pigs on hand was not available for review during this inspection. A total of 265 adult, weanling, and newborn guinea pigs were counted during this inspection. There were no inventory records indicating the number of adults, weanlings, or newborns present for the last few months.

Failure to maintain these records can make it difficult to assess the health of the colony by identifying animal losses by deaths or decreased numbers of animals born and to track animals being used in regulated activities to ensure their humane care and use.

The facility must maintain records containing the required information for animals which fully and correctly disclose the number of animals held, owned, and acquired or disposed of including births and deaths.

Correct by: December 21, 2022

### 3.26(a) Direct

#### Facilities, indoor.

The temperature in the guinea pig housing facility was 47.4 degrees F as measured with a kestrel. There was a heater that was not turned on and there was a draft from the windows that were wire mesh covered with plastic. Guinea pigs were observed huddling together or gathering under piles of hay in the enclosures.

---

Prepared By: CHRISTINA RADZAI  
USDA, APHIS, Animal Care  
Title: VETERINARY MEDICAL OFFICER

Date:  
23-NOV-2022

Received by Title: Facility Representative

Date:  
23-NOV-2022



## Inspection Report

---

Guinea pigs kept in ambient temperatures that are too low may be subject to cold stress that may cause discomfort and predispose them to developing other health issues.

The ambient temperature in indoor housing facilities for guinea pigs must not fall below 60 degrees F.

Correct by: November 25, 2022

### 3.26(b)

#### Facilities, indoor.

There was a strong ammonia odor throughout the indoor guinea pig housing areas. This was a result of soiled enclosures in need of more frequent cleaning.

Failure to provide fresh air can cause respiratory distress and expose the guinea pigs to potential disease hazards.

The indoor housing facilities must be ventilated to minimize odors and ensure the health of the animals.

Correct by: November 30, 2022

### 3.31(a)(1)

#### Direct

#### Sanitation.

The majority of the guinea pigs pens had a thick buildup of soiled bedding 2-3 inches deep. There was one pen (pen 33) with no bedding and only fecal material present. The facility representative was unsure when the pens had last been cleaned.

The accumulation of feces and unclean enclosures can cause unpleasant odors, lead to contamination of the enclosure, and attract pests and vermin that carry diseases that result in risks to the health of the animals.

Enclosures must be cleaned and sanitized as often as necessary to prevent a build-up of debris and fecal material and sanitized at a minimum of once every two weeks.

Correct by: November 25, 2022

### 3.31(b)

---

**Prepared By:** CHRISTINA RADZAI

USDA, APHIS, Animal Care

**Date:**

23-NOV-2022

**Title:** VETERINARY MEDICAL  
OFFICER

**Received by Title:** Facility Representative

**Date:**

23-NOV-2022



## Inspection Report

---

### Sanitation.

There was a large amount of discarded bedding, hay, and debris on the floor under and around the guinea pig pens.

The lack of sanitation and presence of dust and debris may attract pests into the room, result in unpleasant odors, and may contribute to spread of disease.

The buildings used for housing animals must be kept clean and in good repair to protect the animals from injury and to facilitate prescribed husbandry practices and maintain the health of the animals.

Correct by: December 7, 2022

This inspection and exit interview were conducted with the facility representative.

---

**Prepared By:** CHRISTINA RADZAI  
USDA, APHIS, Animal Care

**Title:** VETERINARY MEDICAL  
OFFICER

**Date:**  
23-NOV-2022

**Received by Title:** Facility Representative

**Date:**  
23-NOV-2022



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
331149	23-A-0723	001	DANIEL KAUFFMAN	23-NOV-2022

Count	Scientific Name	Common Name
000265	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000265	<b>Total</b>	