



## Inspection Report

University Of Iowa

Customer ID: 1576

Office Of Animal Resources, Office Of The Iacuc

Certificate: 42-R-0004

L350 P B D B

Site: 001

169 Newton Road

UNIVERSITY OF IOWA

Iowa City, IA 52242

Type: ROUTINE INSPECTION

Date: 09-SEP-2015

### 2.32(c)(3)

#### PERSONNEL QUALIFICATIONS.

On March 24th, 2015 the improper use of anesthesia equipment caused complications in an anesthetized pig. The pig was humanely euthanized while still under anesthesia due to the complications. To prevent adverse effects to animals, employees must be adequately trained on the proper use of anesthesia equipment prior to using it.

Note: The clinical veterinarian and IACUC were promptly notified of the incident and corrective actions were put in place by the facility to ensure lab personnel are properly trained and qualified to use the anesthesia equipment.

Correction: Ensure corrective actions are properly followed.

Exit interview conducted with facility representatives.

Prepared By: SCOTT WELCH, D V M USDA, APHIS, Animal Care

Date:  
11-SEP-2015

Title: VETERINARY MEDICAL OFFICER 6046

Received by Title: ATTENDING VETERINARIAN

Date:  
11-SEP-2015



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
1576	42-R-0004	001	UNIVERSITY OF IOWA	09-SEP-15

Count	Scientific Name	Common Name
000010	<i>Capra hircus</i>	DOMESTIC GOAT
000002	<i>Cricetus cricetus</i>	EUROPEAN HAMSTER / BLACK-BELLIED HAMSTER
000117	<i>Muscardinus avellanarius</i>	HAZEL DORMOUSE
000002	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000011	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000005	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
<b>000147</b>	<b>Total</b>	