



Inspection Report

Virgil Stewart
1243 West 225th Street
Torrance, CA 90502

Customer ID: **8570**
Certificate: **93-C-1111**
Site: 001
VIRGIL STEWART

Type: ROUTINE INSPECTION
Date: 25-JAN-2018

3.1(c)(1)(i)

HOUSING FACILITIES, GENERAL.

The Puppy room: There are at least 4 enclosures that have a moderate buildup of rust. There were adult dogs and puppies housed in these enclosures at time of inspection.

There did not appear to be structural issues in these areas at this time but these surfaces could easily trap dirt and debris creating a potential source of disease or contamination to the animals. All rusted surfaces must be replaced or repaired to allow for proper cleaning and sanitization of the surfaces and to prevent any potential for structural damage.

The facility has replaced at least half of the primary enclosures that have rusted surfaces.
The remaining enclosures should be replaced or repaired by March 1, 2018

3.11(c)

CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

There was a collection of discarded items in a corner area across from the outdoor dog runs. The accumulation of trash may attract pests to animal areas. Premises must be kept free of accumulations of trash, junk, waste products, and discarded matter... so as to facilitate cleaning of the premises and pest control, and to protect the health and well-being of the animals.

Corrected during the inspection

This inspection and exit interview were conducted with the facility representative.

Prepared By: ANDRICOS ALEXANDRA, D V M USDA, APHIS, Animal Care

Date:
05-FEB-2018

Title: VETERINARY MEDICAL OFFICER 5038

Received by Title: FACILITY REPRESENTATIVE

Date:
05-FEB-2018



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
8570	93-C-1111	001	VIRGIL STEWART	25-JAN-18

Count	Scientific Name	Common Name
000065	<i>Canis lupus familiaris</i>	DOG ADULT
000012	<i>Canis lupus familiaris</i>	DOG PUPPY
000077	Total	