



Inspection Report

KELLY SOSIK-HAMOR
8 LISA TERRACE
PELHAM, NH 03076

Customer ID: **23968**
Certificate: **12-A-0016**
Site: 001
KELLY SOSIK-HAMOR

Type: RE-LICENSE INSPECTION
Date: 16-NOV-2021

3.130

Watering.

19 small water bottles were observed to have dark green material on the inside of the bottle. Buildup inside water bottles can harbor bacteria, mold, or other organisms that may result in illness in hedgehogs. The facility must ensure that water receptacles are clean and sanitary.

This is a 1st Re-License Inspection for a Class "A" license. The inspection and exit briefing were conducted with the applicant.

All items must be in compliance within (2) more inspection(s) or by (12/17/21) or the applicant will forfeit the license fee and must wait 6 months to reapply. Please contact your inspector to schedule your next Relicense Inspection. Regulated activity can continue under your existing USDA license until it expires.

Prepared By: SARA TOBIAS
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
16-NOV-2021

Received by Title: Facility Representative

Date:
16-NOV-2021



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
23968	12-A-0016	001	KELLY SOSIK-HAMOR	16-NOV-2021

Count	Scientific Name	Common Name
000121	<i>Atelerix albiventris</i>	FOUR-TOED HEDGEHOG
000121	Total	