



Inspection Report

Stephanie Woods
232 North Side Ln
Crossville, TN 38571

Customer ID: **34194**
Certificate: **63-C-0224**
Site: 001
STEPHANIE WOODS

Type: ROUTINE INSPECTION
Date: 09-OCT-2014

3.125(a)

FACILITIES, GENERAL.

A new goat enclosure for 9 goats with a goat ramp has just been completed. The goat ramp appears over 12 feet high at the top platform with the two lower platforms over 6 feet high. The ramp is narrow and the platform size is such that if more than one goat is on it at a time jostling can lead to loss of footing and potential slipping potentially leading to injury. No sides or railings are currently in place. The outdoor facilities including the goat ramp shall be structurally sound to protect the animals from injury. Correct by Nov. 30, 2014.

Exit conducted with facility representative.

Prepared By: SUSANNE BRUNKHORST, D V M USDA, APHIS, Animal Care

Date:
09-OCT-2014

Title: VETERINARY MEDICAL OFFICER 1076

Received by Title: FACILITY REPRESENTATIVE

Date:
09-OCT-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
34194	63-C-0224	001	STEPHANIE WOODS	09-OCT-14

Count	Scientific Name	Common Name
000010	<i>Capra hircus</i>	DOMESTIC GOAT
000012	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000003	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000025	Total	