



## Inspection Report

Lucille Godfrey  
604 Merrill Street  
Bussey, IA 50044

Customer ID: **18954**  
Certificate: **42-A-0913**  
Site: 001  
LUCILLE GODFREY

Type: ROUTINE INSPECTION  
Date: 06-JUN-2017

### 2.40(b)(2) REPEAT

#### ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

A female Maltese (#27) has poor dental health. There is a buildup of brown tartar on the upper cheek teeth on both sides of the mouth. A buildup of brown tartar is also covering the surface of the top part of both upper canine teeth. A small line of grey material is located along the gum line of the upper cheek teeth on the left side of the mouth. A much thicker amount of the grey material is located along the gum line of the cheek teeth on the right side of the mouth. The gums have become slightly reddened. Poor dental health could cause pain and discomfort to the dog as well as lead to further health issues.

The above mentioned dog must be evaluated by a licensed veterinarian for a proper diagnosis and to establish an effective treatment plan. The diagnosis and treatment plan must be documented in writing and available to the inspector upon request. The licensee must ensure that all dogs receive adequate veterinary care at all times.

A female Pomeranian (ID #102) has excessively long toenails on both front feet. The toenails have developed a significant curve towards the bottom of the foot. Overgrown toenails could cause pain and discomfort to the dog, as well as, affect the dog's natural gait. The licensee must trim this dog's toenails to an acceptable length and ensure that the toenails of all dogs are maintained at an acceptable length at all times.

### 3.1(a) REPEAT

#### HOUSING FACILITIES, GENERAL.

In one enclosure, containing one puppy, the ends of twisted wires have created sharp points at the level of the puppy. In at least two other enclosures, containing a total of five adult dogs, the metal framing around the doors has broken and bent inward creating sharp edges at the level of the dogs. Sharp points and edges could cause injury to the dogs.

Housing facilities for dogs must be kept in good repair and protect the animals from injuries. The licensee must remove the sharp points and broken metal framing or alter them in a manner that eliminates the injury risk towards the dogs. The licensee must ensure that all animal enclosures remain in good repair and are safe for the dogs at all times.

Prepared By: MAXWELL KELLY, A C I USDA, APHIS, Animal Care

Date:  
06-JUN-2017

Title: ANIMAL CARE INSPECTOR 6080

Received by Title: 7015 1730 0001 6081 9001

Date:  
06-JUN-2017



## Inspection Report

---

The inspection and exit interview were conducted with ACI Kelly Maxwell, CS Faron Greenough, and the facility representative.

Female Pomeranian (#103) cited under 2.40 (b)(2) on the previous inspection report has been evaluated by a licensed veterinarian and received treatment.

Female Cavalier (#84) cited under 2.40 (b)(2) on the previous inspection report has received toenail trimming.

### Additional Inspectors

Greenough Faron, Compliance Specialist

---

**Prepared By:** MAXWELL KELLY, A C I USDA, APHIS, Animal Care

**Date:**  
06-JUN-2017

**Title:** ANIMAL CARE INSPECTOR 6080

**Received by Title:** 7015 1730 0001 6081 9001

**Date:**  
06-JUN-2017



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
18954	42-A-0913	001	LUCILLE GODFREY	06-JUN-17

Count	Scientific Name	Common Name
000013	<i>Canis lupus familiaris</i>	DOG ADULT
000012	<i>Canis lupus familiaris</i>	DOG PUPPY
<b>000025</b>	<b>Total</b>	