



Inspection Report

Loren H Martin
365 Shannon Corners Rd
Dundee, NY 14837

Customer ID: **39785**
Certificate: **21-A-0126**
Site: 001
LOREN MARTIN

Type: ROUTINE INSPECTION
Date: 10-DEC-2019

3.6(a)(1)

PRIMARY ENCLOSURES.

In multiple enclosures there were visible broken wires at the base of the rear and center mesh divider panels. These enclosures must be maintained in good repair for the health and safety of the animals.

In one enclosure housing two (2) Dachshunds there were zip ties that had been cut sharply and were protruding up into the enclosure through the mesh floor panel. This could possibly be a safety hazard to the dogs and should be addressed.

One enclosure had a portion of the interior wooden door frame that was scratched and chewed to the point it was no longer impervious to moisture. Surfaces must be maintained to keep the enclosure in good repair.

Correct by 31-Dec-2019.

This inspection and exit interview were conducted with the licensee.

Additional Inspectors

Padden Andrew, Veterinary Medical Officer

Prepared By: D AMBROSIO ANDREA, A C I USDA, APHIS, Animal Care

Date:
10-DEC-2019

Title: ANIMAL CARE INSPECTOR 6003

Received by Title: CERTIFIED MAIL # 70180360000061966465

Date:
10-DEC-2019



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
39785	21-A-0126	001	LOREN MARTIN	10-DEC-19

Count	Scientific Name	Common Name
000064	<i>Canis lupus familiaris</i>	DOG ADULT
000043	<i>Canis lupus familiaris</i>	DOG PUPPY
000107	Total	