



Inspection Report

SAMUEL STOLTZFUS
305 FREMONT ROAD
NOTTINGHAM, PA 19362

Customer ID: **42797**
Certificate: **23-A-0474**
Site: 001
SAMUEL STOLTZFUS

Type: ROUTINE INSPECTION
Date: 11-MAY-2021

3.31(b)

Sanitation.

Housekeeping. There is a buildup of hay, dirt, and debris on the PVC automatic water drainpipes in rows 2 and 3. Animal facilities must be kept clean to ensure unnecessary disease risks. Ineffective cleaning around the automatic watering drainpipes can expose to guinea pigs to disease hazards and health problems. Correct by ensuring the PVC drainpipes are kept clean to support good animal husbandry and health. Correct by May 12, 2021.

This inspection and exit interview were conducted with the licensee.

Prepared By: ROBERT MARKMANN
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
11-MAY-2021

Received by Title: Licensee

Date:
11-MAY-2021



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
42797	23-A-0474	001	SAMUEL STOLTZFUS	11-MAY-2021

Count	Scientific Name	Common Name
003178	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
003178	Total	