



Inspection Report

INFINITY ACRES L L C
136 JOPPA RD
RIDGEWAY, VA 24148

Customer ID: **43260**
Certificate: **52-B-0152**
Site: 001
INFINITY ACRES L L C

Type: ROUTINE INSPECTION
Date: 29-MAR-2023

2.75(b)(1)

Records: Dealers and exhibitors.

The records for offspring born of animals on the property and other acquisitions and dispositions of animals is incomplete. There is no official record of animal births that have occurred at the facility that can be matched to sales invoices of animals. Several dispositions of animals since the last inspection are missing (3 red foxes, 2 artic foxes, 3 chinchillas, and a VA opossum). Additionally, there is acquisition paperwork on animals without corresponding dispositions. Not having proper record keeping for the facilities does not allow for proper trace back of animals during a disease outbreak and does not allow for proper accountability or identification of the animals during inspection. Correct by April 13, 2023 by ensuring that records are kept and maintained which fully and correctly disclose all information concerning each animal for which has been purchased, or otherwise acquired, owned, held or otherwise disposed of, in their possession or under their control, or which is transported, euthanized, sold, or otherwise disposed. The records shall include any offspring born of any animal while in their possession or under their control.

3.50(a)

Facilities, general.

An indoor rabbit enclosure housing two adult rabbits has large amounts of rust flaking and peeling off the metal bars and support structure. Large quantities of rust can compromise the structural integrity of the enclosure, create sharp edges that can lead to animal injury, and prevent adequate cleaning and sanitation of the enclosures. Correct by April 10, 2023 by ensuring the housing facility for the indoor rabbits is structurally sound, maintained in good repair, and protects the animals from injury.

3.125(a)

Facilities, general.

The metal side wall of a barn shelter is bent and rusted along the bottom edge. The rust has caused the metal to disintegrate, leaving sharp edges behind. Parts of the metal wall are bent, creating sharp edges of metal that protrude away from the shelter and into the pasture. Sharp edges can injure animals housed on either side of the metal wall and disintegrating metal quickly loses structural integrity. Correct by April 20, 2023 by ensuring all facilities are structurally sound and maintained in good repair to protect the animals from injury and to contain the animals.

Prepared By: RACHEL PEREZ-BAUM
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
30-MAR-2023

Received by Title: Facility Representative

Date:
30-MAR-2023



Inspection Report

This inspection and exit interview were conducted with the facility representative.

Prepared By: RACHEL PEREZ-BAUM
USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL
OFFICER

Date:
30-MAR-2023

Received by Title: Facility Representative

Date:
30-MAR-2023



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
43260	52-B-0152	001	INFINITY ACRES L L C	29-MAR-2023

Count	Scientific Name	Common Name
000009	<i>Capra hircus</i>	DOMESTIC GOAT
000012	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000012	<i>Lama glama</i>	LLAMA
000002	<i>Dolichotis patagonum</i>	PATAGONIAN CAVY / MARA
000003	<i>Hystrix cristata</i>	AFRICAN CRESTED PORCUPINE
000001	<i>Osphranter rufus</i>	RED KANGAROO
000007	<i>Notamacropus rufogriseus</i>	BENNETT'S WALLABY / RED-NECKED WALLABY
000002	<i>Nasua olivacea</i>	MOUNTAIN COATI
000001	<i>Equus quagga</i>	BURCHELL'S / GRANT'S / CHAPMAN'S / PLAINS ZEBRA
000003	<i>Camelus dromedarius</i>	DROMEDARY CAMEL
000002	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000002	<i>Lama pacos</i>	ALPACA
000002	<i>Atelerix albiventris</i>	FOUR-TOED HEDGEHOG
000005	<i>Petaurus breviceps</i>	SUGAR GLIDER
000001	<i>Tolypeutes matacus</i>	SOUTHERN THREE-BANDED ARMADILLO
000001	<i>Hydrochaeris hydrochaeris</i>	CAPYBARA
000065	Total	