



Inspection Report

David King
Malinda King
459 Rosedale Rd
Kirkwood, PA 17536

Customer ID: **501255**
Certificate: **23-A-0641**
Site: 001
DAVID AND MALINDA KING

Type: ROUTINE INSPECTION
Date: 29-JAN-2019

3.31(a)(1) REPEAT

SANITATION.

There is still a heavy buildup of brown roughened scale and debris on the floors and sides of enclosures. At least 15 enclosures (enclosures 1 through 16 except # 14) housing a total of 151 adult guinea pigs and their offspring had wet bedding consolidated into a moist pad on the floor by the automatic water valves. There was water leaking on the floor in front of enclosures 11 and 12. The accumulation of debris, feces, and wet bedding exposes the guinea pigs to potential infections with bacteria, fungi, and parasites. Correct by ensuring that primary enclosures are clean and sanitized often enough to prevent an accumulation of excreta, wet bedding, and debris. Additionally, ensure that the primary enclosures are sanitized at least once every two weeks.

Remains uncorrected.

Note: Heating section 3.26(a) was corrected since the previous inspection reports dated December 6, 2018. Temperature in guinea pig room was above 60 degrees F. at at time of this inspection. Primary enclosures section 3.28(a)(1) was corrected. The five enclosures were repaired.

This inspection and exit interview were conducted with the owner.

Prepared By: MARKMANN ROBERT, A C I USDA, APHIS, Animal Care

Date:
29-JAN-2019

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: OWNER

Date:
29-JAN-2019



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
501255	23-A-0641	001	DAVID AND MALINDA KING	29-JAN-19

Count	Scientific Name	Common Name
000607	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000607	Total	