



Inspection Report

TOM RUNYAN
4839 RIO PENASCO RD.
MAYHILL, NM 88339

Customer ID: **40533**
Certificate: **85-C-0022**
Site: 001
TOM W. RUNYAN

Type: ROUTINE INSPECTION
Date: 28-FEB-2023

3.125(a) Repeat

Facilities, general.

In the primary enclosure housing an adult, female Patagonian cavy and three baby goats, there is broken chicken wire fastened to a side of one fence. The wire has sharp points and protrudes inward, where the animals could easily come into contact with it.

Sharp points pose an injury hazard for the animals. All enclosures must be constructed and maintained in good repair to protect the animals from injury.

TO BE CORRECTED BY MARCH 7, 2023

This inspection and exit interview were conducted with a facility representative.

Prepared By: TAMILA STOTT
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
01-MAR-2023

Received by Title: Facility Representative

Date:
01-MAR-2023



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
40533	85-C-0022	001	TOM W. RUNYAN	28-FEB-2023

Count	Scientific Name	Common Name
000001	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000039	<i>Capra hircus</i>	DOMESTIC GOAT
000001	<i>Osphranter rufus</i>	RED KANGAROO
000003	<i>Bos grunniens</i>	YAK
000003	<i>Bos primigenius indicus</i>	ZEBU
000003	<i>Equus asinus asinus</i>	DONKEY / BURRO / ASS
000004	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000001	<i>Camelus dromedarius</i>	DROMEDARY CAMEL
000001	<i>Lama glama</i>	LLAMA
000006	<i>Lama pacos</i>	ALPACA
000001	<i>Dolichotis patagonum</i>	PATAGONIAN CAVY / MARA
000001	<i>Camelus bactrianus</i>	BACTRIAN CAMEL
000064	Total	