



## Inspection Report

---

DANIEL STOLTZFUS  
39 WHITE ROCK ROAD  
KIRKWOOD, PA 17536

Customer ID: **503822**  
Certificate: **23-A-0686**  
Site: 001  
DANIEL S STOLTZFUS

Type: ROUTINE INSPECTION  
Date: 17-FEB-2021

---

### 3.31(a)(1)

#### Sanitation.

There is a buildup of brown roughened scale and debris on the plastic sides of the guinea pig enclosures. The weekly cleaning process is not effective in removing this buildup on the sides of enclosures. Inadequate cleaning can expose the guinea pigs to potential disease hazards such as bacterial, fungal, and parasites. The presence of organic material on the sides of enclosures makes disinfectants ineffective. Correct by ensuring that all primary enclosures are kept clean and that enclosures are sanitized at least once 2 weeks. Correct by February 20, 2021.

This inspection and exit interview were conducted with the licensee.

---

Prepared By: ROBERT MARKMANN  
USDA, APHIS, Animal Care  
Title: ANIMAL CARE INSPECTOR

Date:  
17-FEB-2021

Received by Title: Licensee

Date:  
17-FEB-2021



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
503822	23-A-0686	001	DANIEL S STOLTZFUS	17-FEB-2021

Count	Scientific Name	Common Name
001083	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
001083	<b>Total</b>	