



## Inspection Report

---

Jeanne CP Baxter  
3378 Jimtown Rd  
Woodbury, TN 37190

Customer ID: **328791**  
Certificate: **63-A-0191**  
Site: 001  
Jeanne CP Baxter

Type: ROUTINE INSPECTION  
Date: 08-APR-2024

---

### 3.126(b)

#### Facilities, indoor.

The animal building housing the sugar gliders and hedgehogs has a strong ammonia odor and little airflow. The fan/air-conditioner unit is currently not operational according to the licensee. The ammonia levels can irritate the animals' respiratory system or eyes. The animal facility shall be provided with fresh air either by means of windows, doors, vents, fans or air-conditioning so as to minimize odors and drafts. Correct by 4/15/24

### 3.131(c)

#### Sanitation.

The racks/shelves holding the cages housing the sugar gliders and hedgehogs are dirty as is the floor beneath the enclosures. Cleaning of racks/shelves and floor is necessary to help prevent odors and pests and to help prevent spread of disease. The animal building and furniture structures within shall be kept clean. Correct by 5/1/24.

This inspection and exit interview were conducted with the licensee.

---

Prepared By: SUSANNE BRUNKHORST  
USDA, APHIS, Animal Care  
Title: VETERINARY MEDICAL  
OFFICER

Date:  
08-APR-2024

Received by Title: Licensee

Date:  
08-APR-2024



**Species Inspected**

Cust No	Cert No	Site	Site Name	Inspection
328791	63-A-0191	001	Jeanne CP Baxter	08-APR-2024

Count	Scientific Name	Common Name
000118	<i>Petaurus breviceps</i>	SUGAR GLIDER
000053	<i>Atelerix albiventris</i>	FOUR-TOED HEDGEHOG (MOST COMMON PET HEDGEHOG)
000171	<b>Total</b>	