

United States Department of Agriculture Animal and Plant Health Inspection Service

RMARKMANN INS-0000805969

Inspection Report

ALVIN LAPP 305 PENNSY ROAD NEW PROVIDENCE, PA 17560 Customer ID: 332490

Certificate: 23-A-0607

Site: 001

ALVIN F LAPP

Type: ROUTINE INSPECTION

Date: 26-JUL-2022

3.53(a)(1)

Primary enclosures.

The lower right enclosure on the front row housing 2 dwarf rabbits needs repair. The wire floor has a hole approximately 3 inches in diameter with broken and protruding wire. Licensee's son place a board over the hole during this inspection until the floor is repaired. Enclosures for rabbits must be structurally sound and maintained in good repair to protect the rabbits from injury. Wire floor must be repaired or replaced to prevent injury to the rabbits. Correct by August 1, 2022.

3.53(c)(2)

Primary enclosures.

Five enclosures housing weaned dwarf rabbits had inadequate floor space. Enclosures measure 2 feet by 2 feet or 4 square feet of floor space. Rabbits weighing less than 4.4 pounds required at least 1.5 square feet of floor space each. Three enclosures had 4 weaned rabbits, one enclosure has 3 weaned rabbits, and one enclosure had 5 weaned rabbits. Inadequate space can cause stress, discomfort, and aggression in animals. Cannot house more than 2 weaned dwarf rabbits weighing less than 4.4 pounds in this size enclosure. Licensee must ensure that rabbits are provided with at least the minimum amount of floor space per rabbit to prevent unnecessary stress, discomfort, and aggression. Correct by August 2, 2022.

This inspection and exit interview were conducted with the licensee.

Prepared By: ROBERT MARKMANN

Date:

Title: ANIMAL CARE INSPECTOR

26-JUL-2022

Received by Title: Licensee

Date: 26-JUL-2022

USDA, APHIS, Animal Care



United States Department of Agriculture Animal and Plant Health Inspection Service

RMARKMANN INS-0000805969

Inspection Report

Prepared By: ROBERT MARKMANN Date:

USDA, APHIS, Animal Care 26-JUL-2022

Title: ANIMAL CARE INSPECTOR

Received by Title: Licensee Date:

26-JUL-2022



United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 332490

Inspection Date: 26-Jul-2022

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
332490	23-A-0607	001	ALVIN F LAPP	26-JUL-2022

Count **Scientific Name Common Name** 000057

Oryctolagus cuniculus DOMESTIC RABBIT / EUROPEAN RABBIT

Total 000057