



Inspection Report

Yusleidy Tarrero
15828 Keylime Blvd
Loxahatchee, FL 33470

Customer ID: **322194**
Certificate: **58-C-0948**
Site: 001
YUSLEIDY TARRERO

Type: ROUTINE INSPECTION
Date: 20-AUG-2015

3.53(a)(1)

PRIMARY ENCLOSURES.

The wire mesh on the enclosure for the 15 rabbits is in poor repair. The mesh in several areas is broken and sharp points exist. Pushed in wire mesh is accumulating fecal matter and the area under the enclosure has an excessive buildup of fecal and food waste. The wood supports in the enclosure are excessively chewed and no longer structurally sound. Primary enclosures shall be structurally sound and maintained in good repair to protect the rabbits from injury, to contain them, and to keep predators out.

Correct by: 08-30-2015

3.129(b)

FEEDING.

The feed trough for the goats and sheep was contaminated with excreta and the food was caked in the receptacle. Food receptacles, if used, shall be sufficient in quantity and located so as to be accessible to all animals in the enclosure and shall be placed so as to minimize contamination. Food receptacles shall be kept clean and sanitary at all times. If self-feeders are used, adequate measures shall be taken to prevent molding, contamination, and deterioration or caking of food. This trough must be cleaned properly and maintained so that the feed remains free from contamination and deterioration.

There are two large blue drums that are used to hold feed for the goats and sheep in the feed storage area. These two drums have no lids at time of this inspection. An abundance of flies were in and around the feed drums. Lids must be in use to protect the feed from contamination and deterioration.

Correct by: 08-21-2015.

3.131(a)

SANITATION.

The two pigs that are housed at the far right of the facility had no dry area to lie down on and the flooring was

Prepared By: MEGAN ADAMS, A C I USDA, APHIS, Animal Care

Date:
20-AUG-2015

Title: ANIMAL CARE INSPECTOR 1027

Received by Title: OWNER

Date:
20-AUG-2015



Inspection Report

excessively wet and full of wet fecal material. The rubber mesh flooring holds the excreta and wet matter under the mat and is unsanitary. The area smelled strongly of fecal matter and flies were abundant during the inspection. This enclosure needs to be cleaned properly and kept clean so the animals have a clean dry area to lie down in.

Correct by: 08-21-2015.

3.131(d)

SANITATION.

There were hundreds of flies in the animals areas and the feed storage area. Only one fly catcher was in use at time of this inspection and was full of dead flies. A more aggressive program for the control of flies needs to be established and maintained.

Correct by: 08-25-15.

An exit briefing was conducted with the licensee.

Prepared By: MEGAN ADAMS, A C I USDA, APHIS, Animal Care

Date:
20-AUG-2015

Title: ANIMAL CARE INSPECTOR 1027

Received by Title: OWNER

Date:
20-AUG-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
322194	58-C-0948	001	YUSLEIDY TARRERO	20-AUG-15

Count	Scientific Name	Common Name
000001	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000004	<i>Capra hircus</i>	DOMESTIC GOAT
000015	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000003	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000002	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000025	Total	